

# Index

- African snail on Saipan, 323-335
- Algae, marine, zonation at Piha, New Zealand, in relation to tidal factor, 188-201
- Amblypygi found in territories adjacent to Japan, 336-338
- ANDERSON, ERNEST R., and DALE F. LEIPPER:  
Sea Temperatures, Hawaiian Island Area, 228-248
- Angiosperms, flora of Australia as a measure of antiquity of, 287-308
- Annual March of Daily Mean Temperatures at Honolulu, 50-54
- Antibacterial Properties of Some Plants Found in Hawaii, 167-183
- Antithamnion* and related algae, Pacific species of, 118-134
- ASANO, KIYOSHI:  
Upper Cretaceous Foraminifera from Japan, 158-163
- ATODA, KENJI:  
Metamorphosis of the "Non-aquatic Frog" of the Palau Islands, Western Carolines, 202-207
- Australia, flora of as a measure of antiquity of angiosperms, 287-308
- Bacteriology:  
Antibacterial properties of some plants found in Hawaii, 167-183
- BALL, GORDON H.:  
Examination of Hawaiian Marine Crustaceans for Gregarines, 283
- BEVERIDGE, W. A., and V. J. CHAPMAN:  
Zonation of Marine Algae at Piha, New Zealand, in Relation to the Tidal Factor (Studies in Inter-tidal Zonation 2), 188-201
- Birds of Yap, Western Caroline Islands, 55-62
- Black marlin, *Tetrapterus mazara*, occurrence of without spear, 164
- BOSCHMA, H.:  
The Crab Parasite *Sacculina* in the Fiji Islands, 69
- Botanical papers, Japanese, translations of, 375
- Botany:  
Antibacterial properties of some plants found in Hawaii, 167-183  
Chromosome numbers of some species of *Passiflora* occurring in Hawaii, 37-42  
Flora of Australia as a measure of the antiquity of the angiosperms, 287-308  
Identity of *Spongocladia* and *Cladophoropsis*, 208-213  
Inter-tidal ecology at Narrow Neck Reef, New Zealand, 355-374
- Marine algal communities of Stanmore Bay, New Zealand, 63-68
- Pacific species of *Antithamnion* and related algae, 118-134
- Subgenera of *Dubautia*, 339-345
- Taxonomic revision of Hawaiian species of *Carex*, 249-282
- Translations of Japanese botanical papers, 375
- Zonation of marine algae at Piha, New Zealand, in relation to the tidal factor, 188-201
- BUSHNELL, O. A., MITSUNO FUKUDA, and TAKASHI MAKINODAN:  
The Antibacterial Properties of Some Plants Found in Hawaii, 167-183
- Carex*, taxonomic revision of the Hawaiian species of the genus, 249-282
- Caroline Islands, Western, the birds of Yap, 55-62
- Carolines, Western, metamorphosis of the "non-aquatic frog" of the Palau Islands, 202-207
- CHAPMAN, V. J.:  
The Marine Algal Communities of Stanmore Bay, New Zealand (Studies in Inter-tidal Zonation 1), 63-68
- CHAPMAN, V. J., and W. A. BEVERIDGE:  
Zonation of Marine Algae at Piha, New Zealand, in Relation to the Tidal Factor (Studies in Inter-tidal Zonation 2), 188-201
- Chromosome Numbers of Some Species of *Passiflora* Occurring in Hawaii, 37-42
- Cladophoropsis* and *Spongocladia*, identity of, 208-213
- Climatology:  
Annual march of daily mean temperatures at Honolulu, 50-54  
Sea temperatures, Hawaiian Island area, 228-248
- Cololabis saira*, the Pacific saury, trans-Pacific distribution of, 164
- Contributions to the Knowledge of the Pacific Species of *Antithamnion* and Related Algae, 118-134
- Corculum cardissa* (L.), the heart shell, and its associated zooxanthellae, observations on, 43-49
- Crab Parasite *Sacculina* in the Fiji Islands, 69
- Crustaceans, Hawaiian marine, examination of for gregarines, 283
- Daily mean temperatures at Honolulu, annual march of, 50-54
- DE LAUBENFELS, M. W.:  
The Sponges of Kaneohe Bay, Oahu, 3-36

## DELLOW, VIVIENNE:

Inter-tidal Ecology at Narrow Neck Reef, New Zealand (Studies in Inter-tidal Zonation 3), 355-374

Descriptions of Some Species of the Genus *Pulvilligera* Strand from the South and Southwest Pacific (Hymenoptera: Chalcidoidea; Torymidae), 346-354

Directory of Marine Laboratories of the United States and Canada (book review), 284

*Dubautia* (Compositae), subgenera of, 339-345

Echelid eel, osteology and relationships of, 309-314

## Ecology:

Inter-tidal ecology at Narrow Neck Reef, New Zealand, 355-374

Marine algal communities of Stanmore Bay, New Zealand, 63-68

Zonation of marine algae at Piha, New Zealand, in relation to the tidal factor, 188-201

## Entomology:

Descriptions of some species of the genus *Pulvilligera* Strand from the south and southwest Pacific, 346-354

Noctuidae Catocalinae from New Caledonia and the New Hebrides, 139-157

Some Stratiomyidae (Diptera) from Okinawa and Guam, 184-187

Vespoidea of Micronesia, 116-117

Examination of Hawaiian Marine Crustaceans for Gregarines, 283

Feeding habits of the giant African snail on Saipan, 323-335

Ferruginous laterite crusts, Hawaiian, 315-322

Fiji Islands, the crab parasite *Sacculina* in, 69

Fish which emit light indirectly, luminous organs of, 214-227

## FISHER, HARVEY L.:

The Birds of Yap, Western Caroline Islands, 55-62

Flora of Australia as a Measure of the Antiquity of the Angiosperms, 287-308

Foraminifera, Upper Cretaceous, from Japan, 158-163

FUKUDA, MITSUNO, O. A. BUSHNELL, and TAKASHI MAKINODAN:

The Antibacterial Properties of Some Plants Found in Hawaii, 167-183

Genesis and Morphology of Hawaiian Ferruginous Laterite Crusts, 315-322

## Geology:

Upper Cretaceous Foraminifera from Japan, 158-163

## GOSLINE, WILLIAM A.:

The Osteology and Relationships of the Echelid Eel, 309-314

Gregarines, examination of Hawaiian marine crustaceans for, 283

Guam, some Stratiomyidae (Diptera) from, 184-187

## HANEDA, YATA:

*Harpodon nehereus*, a Non-luminous Fish, 135-138

Luminous Organs of Fish Which Emit Light Indirectly, 214-227

*Harpodon nehereus*, a Non-luminous Fish, 135-138

Hawaii, antibacterial properties of some plants found in, 167-183

Hawaiian ferruginous laterite crusts, morphology and genesis of, 315-322

Hawaiian Island area, sea temperatures, 228-248

Hawaiian marine crustaceans, examination of for gregarines, 283

Hawaiian marine gastropods, spawning and development of, 75-115

Hawaiian Plant Studies 18, subgenera of *Dubautia* (Compositae), 339-345

Hawaiian species of the genus *Carex*, taxonomic revision of, 249-282

Heart shell, *Corculum cardissa* (L.), and its associated zooxanthellae, observations on, 43-49

Hiatt, Robert W., *Directory of Marine Laboratories of the United States and Canada* (notice of), 284

Honolulu, annual march of daily mean temperatures at, 50-54

## HUBBS, CARL L.:

On the Supposed Occurrence in New Zealand of the North Pacific Fish Genus *Sebastodes*, 70

## Ichthyology:

*Harpodon nehereus*, a non-luminous fish, 135-138

Luminous organs of fish which emit light indirectly, 214-227

Occurrence of a black marlin, *Tetrapterus mazara*, without spear, 164

Osteology and relationships of the echelid eel, *Kaupichthys diodontus*, 309-314

Records confirming trans-Pacific distribution of Pacific saury, *Cololabis saira*, 164

Supposed occurrence in New Zealand of the north Pacific fish genus *Sebastodes*, 70

Identity of *Spongocladia* and *Cladophoropsis*, 208-213

## INABA, TADAAKI, and JUN TOKIDA:

Contributions to the Knowledge of the Pacific Species of *Antithamnion* and Related Algae, 118-134

Inter-tidal Ecology at Narrow Neck Reef, New Zealand (Studies in Inter-tidal Zonation 3), 355-374

- JAMES, MAURICE T.:  
Some Stratiomyidae (Diptera) from Okinawa and Guam, 184-187  
Japan, Amblypygi found in territories adjacent to, 336-338  
Japan, Upper Cretaceous Foraminifera from, 158-163  
Japanese botanical papers, translations of, 375  
Kaneohe Bay, Oahu, sponges of, 3-36  
*Kaupichthys diodontus*, echelid eel, osteology and relationships of, 309-314  
KAWAGUTI, SIRO:  
Observations on the Heart Shell, *Corculum cardissa* (L.), and Its Associated Zooxanthellae, 43-49  
KRAUSS, ROBERT W.:  
Taxonomic Revision of the Hawaiian Species of the Genus *Carex*, 249-282  
LANGE, W. HARRY, JR.:  
Life History and Feeding Habits of the Giant African Snail on Saipan, 323-335  
Laterite crusts, Hawaiian ferruginous, 315-322  
LEIPPER, DALE F., and ERNEST R. ANDERSON:  
Sea Temperatures, Hawaiian Island Area, 228-248  
Lepidoptera. The Noctuidae Catocalinae from New Caledonia and the New Hebrides, 139-157  
Life History and Feeding Habits of the Giant African Snail on Saipan, 323-335  
Luminous Organs of Fish Which Emit Light Indirectly, 214-227  
*Majuro*, a Village in the Marshall Islands (notice of), 284  
MAKINODAN, TAKASHI, O. A. BUSHNELL, and MITSUNO FUKUDA:  
The Antibacterial Properties of Some Plants Found in Hawaii, 167-183  
Marine Algal Communities of Stanmore Bay, New Zealand (Studies in Inter-tidal Zonation 1), 63-68  
Metamorphosis of the "Non-aquatic Frog" of the Palau Islands, Western Carolines, 202-207  
Micronesia, Vespoidea of, 116-117  
MILLIRON, H. E.:  
Descriptions of Some Species of the Genus *Pulvilligera* Strand from the South and Southwest Pacific (Hymenoptera: Chalcidoidea; Torymidae), 346-354  
MOORE, HARVEY L.:  
The Occurrence of a Black Marlin, *Tetrapterus mazara*, without Spear, 164  
Morphology and genesis of Hawaiian ferruginous laterite crusts, 315-322  
New Caledonia and the New Hebrides, Noctuidae Catocalinae from, 139-157  
New Zealand, inter-tidal ecology at Narrow Neck Reef, 355-374  
New Zealand, marine algal communities of Stanmore Bay, 63-68  
New Zealand, supposed occurrence of the North Pacific fish genus *Sebastodes* in, 70  
New Zealand, zonation of marine algae at Piha in relation to the tidal factor, 188-201  
Noctuidae Catocalinae from New Caledonia and the New Hebrides (Lepidoptera), 139-157  
"Non-aquatic frog" of the Palau Islands, Western Carolines, metamorphosis of, 202-207  
Notes on Amblypygi Found in Territories Adjacent to Japan, 336-338  
Observations on the Heart Shell, *Corculum cardissa* (L.), and Its Associated Zooxanthellae, 43-49  
Oceanography:  
Sea temperatures, Hawaiian Island area, 228-248  
Okinawa, some Stratiomyidae (Diptera) from, 184-187  
On the Supposed Occurrence in New Zealand of the North Pacific Fish Genus *Sebastodes*, 70  
Ornithology:  
Birds of Yap, Western Caroline Islands, 55-62  
Osteology and Relationships of the Echelid Eel, *Kaupichthys diodontus*, 309-314  
OSTERGAARD, JENS M.:  
Spawning and Development of Some Hawaiian Marine Gastropods, 75-115  
Pacific saury, *Cololabis saira*, trans-Pacific distribution of, 164  
Pacific Science Association, Secretariat, 284  
Pacific species of *Antithamnion* and related algae, 118-134  
Palau Islands, Western Carolines, metamorphosis of the "non-aquatic frog" of, 202-207  
PALMER, HAROLD S.:  
Annual March of Daily Mean Temperatures at Honolulu, 50-54  
PAPENFUSS, GEORGE F.:  
On the Identity of *Spongocladia* and *Cladophoropsis*, 208-213  
*Passiflora* occurring in Hawaii, chromosome numbers of some species of, 37-42  
Plants found in Hawaii, antibacterial properties of some, 167-183  
*Pulvilligera* Strand, descriptions of some species from the south and southwest Pacific, 346-354  
REINTJES, JOHN W., and MILNER B. SCHAEFER:  
Additional Records Confirming the Trans-Pacific Distribution of the Pacific Saury, *Cololabis saira* (Brevoort), 164  
*Sacculina*, crab parasite in the Fiji Islands, 69  
ST. JOHN, HAROLD:  
Subgenera of *Dubautia* (Compositae): Hawaiian Plant Studies 18, 339-345  
Saipan, life history and feeding habits of the giant African snail on, 323-335

- Saipan, note on new map, names, 71
- SCHAEFER, MILNER B., and JOHN W. REINTJES:  
Additional Records Confirming the Trans-Pacific Distribution of the Pacific Saury, *Cololabis saira* (Brevoort), 164
- Sea Temperatures, Hawaiian Island Area, 228-248
- Sebastodes*, on the supposed occurrence in New Zealand, 70
- SHERMAN, G. DONALD:  
Genesis and Morphology of Hawaiian Ferruginous Laterite Crusts, 315-322
- Soil Science:  
Genesis and morphology of Hawaiian ferruginous laterite crusts, 315-322
- Southwest Pacific, descriptions of some species of the genus *Pulvilligera* Strand from, 346-354
- Spawning and Development of Some Hawaiian Marine Gastropods, 75-115
- Spoehr, Alexander, *Majuro, a Village in the Marshall Islands* (notice of), 284
- Sponges of Kaneohe Bay, Oahu, 3-36
- Spongocladia* and *Cladophoropsis*, identity of, 208-213
- Stanmore Bay, New Zealand, marine algal communities of, 63-68
- STOREY, W. B.:  
Chromosome Numbers of Some Species of *Passiflora* Occurring in Hawaii, 37-42
- Stratiomyidae (Diptera) from Okinawa and Guam, 184-187
- Studies in Inter-tidal Zonation 1. Marine algal communities of Stanmore Bay, New Zealand, 63-68
- Studies in Inter-tidal Zonation 2. Zonation of marine algae at Piha, New Zealand, 188-201
- Studies in Inter-tidal Zonation 3. Inter-tidal ecology at Narrow Neck Reef, New Zealand, 355-374
- Subgenera of *Dubautia* (Compositae): Hawaiian Plant Studies 18, 339-345
- SUESSENGUTH, KARL:  
The Flora of Australia as a Measure of the Antiquity of the Angiosperms, 287-308
- TAKASHIMA, HARUO:  
Notes on Amblypygi Found in Territories Adjacent to Japan, 336-338
- Taxonomic Revision of the Hawaiian Species of the Genus *Carex*, 249-282
- Temperatures at Honolulu, annual march of daily mean, 50-54
- Temperatures, sea, Hawaiian Island area, 228-248
- Tetrapterus mazara*, black marlin, occurrence of without spear, 164
- TOKIDA, JUN, and TADAAKI INABA:  
Contributions to the Knowledge of the Pacific Species of *Antihamnion* and Related Algae, 118-134
- Translations of Japanese Botanical Papers, 375
- Upper Cretaceous Foraminifera from Japan, 158-163
- Vespoidea of Micronesia, 116-117
- VIETTE, PIERRE E. L.:  
The Noctuidae Catocalinae from New Caledonia and the New Hebrides (Lepidoptera), 139-157
- Yap, Western Caroline Islands, birds of, 55-62
- YASUMATSU, KEIZO:  
Vespoidea of Micronesia, 116-117
- Zonation of Marine Algae at Piha, New Zealand, in Relation to the Tidal Factor (Studies in Inter-tidal Zonation 2), 188-201
- Zoology:  
Amblypygi found in territories adjacent to Japan, 336-338
- Birds of Yap, Western Caroline Islands, 55-62
- Crab parasite *Sacculina* in the Fiji Islands, 69
- Descriptions of some species of the genus *Pulvilligera* Strand from the south and southwest Pacific, 346-354
- Examination of Hawaiian marine crustaceans for gregarines, 283
- Harpodon nehereus*, a non-luminous fish, 135-138
- Life history and feeding habits of the giant African snail on Saipan, 323-335
- Luminous organs of fish which emit light indirectly, 214-227
- Metamorphosis of the "non-aquatic frog" of the Palau Islands, 202-207
- Noctuidae Catocalinae from New Caledonia and the New Hebrides, 139-157
- Observations on the heart shell, *Corculum cardissa*, and its associated zooxanthellae, 43-49
- Osteology and relationships of the echelid eel, *Kaupichthys diodontus*, 309-314
- Occurrence of a black marlin, *Tetrapterus mazara*, without spear, 164
- Records confirming trans-Pacific distribution of Pacific saury, *Cololabis saira*, 164
- Some Stratiomyidae (Diptera) from Okinawa and Guam, 184-187
- Spawning and development of some Hawaiian marine gastropods, 75-115
- Sponges of Kaneohe Bay, Oahu, 3-36
- Supposed occurrence in New Zealand of the North Pacific fish genus *Sebastodes*, 70
- Upper Cretaceous Foraminifera from Japan, 158-163
- Vespoidea of Micronesia, 116-117
- Zooxanthellae associated with the heart shell, *Corculum cardissa* (L.), observations on, 43-49