

Index to Volume XV

Author Index

- ABBOTT, DONALD P.:
The Ascidians of Point Barrow, Alaska, Part I.
Suborder Phlebobranchia (Enterogona), 137–
143
- ALVARIÑO, ANGELES:
Two New Chaetognaths from the Pacific, 67–77
- ALVERSON, FRANKLIN G.:
Daylight Surface Occurrence of Myctophid Fishes
Off the Coast of Central America, 483
- ARMITAGE, KENNETH B.:
Studies of the Biology of *Polychoerus carmelensis*
(Turbellaria: Acoela), 203–210
- BERGMAN, R. A.:
The Anatomy of *Coluber radiatus* and *Coluber melanurus*, 144–154
- BERGQUIST, PATRICIA R.:
A Collection of Porifera from Northern New Zealand, with Descriptions of Seventeen New Species, 33–48
- BIERI, ROBERT:
Post-larval Food of the Pelagic Coelenterate, *Vellella lata*, 553–556
- BROWNLEE, G.:
Studies on Pacific Ferns.
Part III. The Lindsaeoid Ferns, 64–66
Part IV. The Pteridophyte Flora of Pitcairn Island, 297–300
- CHAKRAVARTI, DIPTIMAN AND RONALD EISLER:
Strontium-90 and Gross Beta Activity in the Fat and Nonfat Fractions of the Liver of the Coconut Crab (*Birgus latro*) Collected at Rongelap Atoll during March 1958, 155–159
- CHAPMAN, V. J.:
A Contribution to the Ecology of the Kermadec Islands, 347–351
- COOKE, WILLIAM BRIDGE:
Fungi from Raroia in the Tuamotu Archipelago, 186–188
- DAWSON, E. YALE:
A Guide to the Literature and Distributions of Pacific Benthic Algae from Alaska to the Galapagos Islands, 370–461
- DOTY, MAXWELL S.:
Acanthophora, a Possible Invader of the Marine Flora of Hawaii, 547–552
- DOTY, MAXWELL S., AND ISABELLA A. ABBOTT:
Studies on the Helminthocladiaeae (Rhodophyta): *Helminthocladia*, 56–63
- DUMBLETON, L. J.:
The Aleyrodidae (Hemiptera-Homoptera) of New Caledonia, 114–136
- GREY, MARION:
Fishes Killed by the 1950 Eruption of Mauna Loa, Part V. Gonostomatidae, 462–476
- FLORA, CHARLES J.:
The Species Commonality Index: A Method for Comparing Habitats, 307–308
- HARTMAN, OLGA:
New Pogonophora from the Eastern Pacific Ocean, 542–546
- HILL, PETER J. R., AND BENJAMIN C. STONE:
The Vegetation of Yanagi Islet, Truk, Caroline Islands, 561–562
- HOBSON, E. S., F. MAUTIN, AND E. S. REEVE:
Two Shark Incidents at Eniwetok Atoll, Marshall Islands, 605–609
- JAMESON, E. W., JR.:
Relationships of the Red-backed Voles of Japan, 594–604
- JOHNSON, MARTIN W.:
On Zooplankton of Some Arctic Coastal Lagoons of Northwestern Alaska, with Description of a New Species of *Eurytemora*, 311–323
- KANEHIRO, YOSHINORI, AND LYNN D. WHITTIG:
Amorphous Mineral Colloids of Soils of the Pacific Region and Adjacent Areas, 477–482
- KAY, ALISON:
A New Opisthobranch Mollusc from Hawaii, 112–113
- KING, JUDITH E., AND R. J. HARRISON:
Some Notes on the Hawaiian Monk Seal, 282–293
- KLAWE, W. L.:
Notes on Larvae, Juveniles, and Spawning of Bonito (*Sarda*) from the Eastern Pacific Ocean, 487–493
- KOHN, ALAN J.:
Studies in Spawning Behavior, Egg Masses, and Larval Development in the Gastropod Genus *Conus*, Part I. Observations on Nine Species in Hawaii, 163–179
- DE LAUBENFELS, M. W.:
Porifera of Friday Harbor and Vicinity, 192–202
- MACDONALD, GORDON A., AND TAKASHI KATSURA:
Variations in the Lava of the 1959 Eruption in Kilauea Iki, 358–369
- MARTIN, W. E.:
Life Cycle of *Mesostephanus appendiculatus* (Ciurea, 1916) Lutz, 1935 (Trematoda: Cyathocotylidae), 278–281
- PLUCKNETT, D. L., AND B. C. STONE:
The Principal Weedy Melastomaceae in Hawaii, 301–303

- NOFFSINGER, T. L.: Leaf and Air Temperature under Hawaiian Conditions, 304-306
- RANDALL, JOHN E.: A Contribution to the Biology of the Convict Surgeonfish of the Hawaiian Islands, *Acanthurus triostegus sandvicensis*, 215-272
- REISH, DONALD J.: A New Species of *Micronereis* (Annelida, Polychaeta) from the Marshall Islands, 273-277
- ROE, SISTER MARGARET JAMES: A Taxonomic Study of the Indigenous Hawaiian Species of the Genus *Hibiscus*, 3-32
- SAKAGAMI, SHOICHI F.: An Ecological Perspective of Marcus Island, with Special Reference to Land Animals, 82-104
- SCAGEL, ROBERT F.: The Distribution of Certain Benthonic Algae in Queen Charlotte Strait, British Columbia, in Relation to Some Environmental Factors, 494-539
- SCHAFER, RITA D.: Effects of Pollution on the Free Amino Acid Content of Two Marine Invertebrates, 49-55
- ST. JOHN, HAROLD: Revision of the Genus *Pandanus* Stickman. Part 2. *Pandanus* in Western Australia and Notes on the Section *Foullioya*, 180-185
Part 3. A New Species from Oeno Island, Tuamotu Archipelago, 324-326
Part 4. Disposition of Some Later Homonyms, 327
Part 5. *Pandanus* of the Maldives Islands and the Seychelles Islands, Indian Ocean, 328-346
Part 6. New *Pandanus* Species from Queensland, Australia, 563-575
Part 7. New Species from Borneo, Papua, and the Solomon Islands, 576-590
- STONE, BENJAMIN C.: *Pandanus pistillaris* in the Caroline Islands: An Example of Long-range Oceanic Dispersal, 610-613
- SUND, PAUL N.: Two New Species of Chaetognatha from the Waters off Peru, 105-111
- UCHIDA, RICHARD N.: Hermaphroditic Skipjack, 294-296
- WATSON, J. S.: Feral Rabbit Populations on Pacific Islands, 591-593
- WELLS, JOHN W.: Notes on Indo-Pacific Scleractinian Corals, Part 3. A New Reef Coral from New Caledonia, 189-191
- WENTWORTH, C. K., H. A. POWERS, AND J. P. EATON: Feasibility of a Lava-diverting Barrier at Hilo, Hawaii, 352-357
- WINKLER, LINDSAY R.: Preliminary Tests of the Toxin Extracted from California Sea Hares of the Genus *Aplysia*, 211-214
- WINKLER, LINDSAY R., AND BERNARD E. TILTON: Interspecific Differences in the Reaction to Atropine and in the Histology of the Esophagi of the Common California Sea Hares of the Genus *Aplysia*, 557-560
- WOODLAND, D. J.: Description of a New Species of *Pranesus* (Atherinidae: Pisces) from the Capricorn Group, Great Barrier Reef, 540-541
- WOODWICK, KEITH H.: *Polydora rickettsi*, a New Species of Spionid Polychaete from Lower California, 78-81

Subject Index

- Aaptos aaptos*, 44
Acanthophora spicifera, 547-551
Acanthurus triostegus sandvicensis, 215-272
Adiantum hispidulum, 298
Adocia parietaloides, n. sp., 37
venustina, n. sp., 37
Aleurocanthus brevispinosus, n. sp., 115-116
multispinosus, n. sp., 116-118
nudus, n. sp., 118
spinothorax, n. sp., 118-120
 Aleyrodidae of New Caledonia, 114-136
 algae, benthic, of Pacific, guide to literature of, 370-561
 algae, benthonic, in Queen Charlotte Strait, 494-539
 amino acid content of two marine invertebrates, 49-55
Angiopteris chauliodonta, 297
Anthostomella sp., 186
Aplysia californica, 211-214; 557-560
vaccaria, 211-214; 557-560
Araiophos, n. gen., 463-465
gracilis, n. sp., 465-467
Argyripnus atlanticus, 468-470
ephippiatus, 471
iridescent, 473
sp., 473
Arthressa evansi, n. sp., 112-113
Arbostemma latifolium, 301, 303
Ascidia callosa, 137-139
 ascidians of Alaska, 137-143
Asplenium nidus, 299
obtusatum, 299
Athyrium polyanthes, 299
 atropine, effect of, upon *Aplysia* spp., 557-560
Auricularia mesenterica, 186
Axiamnon erecta, 41

- Bantamia merleti*, n. sp., 189–191
Bemisia cordylinidis, n. sp., 120–121
Benthosema pterota, 483
 beta activity in coconut crab, 155–159
Biemna rhabderemoides, n. sp., 40
Birgus latro, 155–158
 bonito, notes on larvae, juveniles, and spawning, 487–493
 Borneo, new species of *Pandanus* from, 576–590
Burtonanchora lacunosa, 195–197
- Calyspongia ramosa*, 36
Carcarhinus menisorrah, 605–609
Centropages abdominalis, 317
Cerithidea californica, 278–281
Chelysoma inaequale, 140–142
 macleayanum, 139–140
Choanites suberea var. *lata*, 201
Clethrionomys, 595–597
 andersoni, 599
imaizumii, n. sp., 599–600
niigatae, 599
rufocanus bedfordiae, 597
rutilus mikado, 600
Clidemia hirta, 301, 303
Cliona celata, 44, 201
 muscodes, 44
Coluber melanurus, 152–154
 radiatus, 144–152
Conus abbreviatus, 164–166
 catus, 166–169
 imperialis, 169
 leopardus, 169–170
 lividus, 170–171
 pennaceus, 171–173
 quercinus, 173–174
 rattus, 174–175
 vitulinus, 175–176
 corals, scleractinian, from Indo-Pacific, 189–191
Corticella novae-zealandiae, n. sp., 45
Cyathea cumingii, 298
Cyclosorus parasiticus, 299
Cyclothona sp., 463
- Danaphos oculatus*, 467–468
Davallia solida, 298
Dialeurodes dothioensis, n. sp., 121–122
 dumbeensis, n. sp., 122–123
 psychotriae, n. sp., 123–124
Dicranopteris linearis, 297
Doodia media, 299
Dorhioia, n. gen., 124
 bidentatus, n. sp., 124–126
Dysidea cristagalli, n. sp., 33
- Ectyodoryx parasitica*, 197
 Eniwetok Atoll, shark incidents at, 605–609
Eurytemora foveola, n. sp., 317–321
 pacifica, 317
Euthenomys kageus, 601
 smithi, 600–601
- Foullioya*, 184–185
- Galaxea fascicularis*, 191
Gomenella, n. gen., 126
 multipora, n. sp., 126–127
 reflexa, n. sp., 127–129
Gonostoma atlanticum, 462–463
 Great Barrier Reef, new *Pranesus* from, 540–541
- Halichondria moorei*, n. sp., 40
 panicea, 41
Haliclona clathrata, 35
 glabra, n. sp., 35
 heterofibrosa, 35
 isodictyale, n. sp., 34
 permollis, 193–194
 petrosioides, 36
 tenacior, n. sp., 34
Haliotis cracherodii, 49–55
 Hawaiian monk seal, 282–293
Helicomyces roseus, 187
Helicosporium lumbricoides, 187
Helix aspersa, 211–214
Helminthocladia rhizoidea, n. sp., 60–63
 simplex, n. sp., 56–60
Heterocentron subtriplinervium, 301, 303
Hibiscus, taxonomic study of indigenous Hawaiian species, 3–32
Hibiscus Arnottianus, 26–30
 f. *parviflora*, 30–31
 f. *punaluensis*, 31
Brackenridgei, 9–11
 var. *kauaiiana*, 12
 var. *mokuleiana*, n. var., 12–13
 var. *molokaiana*, 11–12
immaculatus, n. sp., 22–24
kabili, 21
Kokio, 14–17
 var. *pukoonis*, 17–18
Newhousei, n. sp., 22
Saintjohnianus, n. sp., 18–21
waimeae, 24–26
Younghianus, 6–8
Hymeniacidon perlevis, 41
Hypoxylon chrysocomium, 186
 investiens, 186
- Iophon chelifer californiana*, 198
Ircinia novae zealandiae, n. sp., 33
Isociella incrustans, n. sp., 42
- Japan, red-backed voles of, 594–604
- Katsuwonus pelamis*, 294–296
 Kermadec Islands, ecology of, 347–351
 Kilauea Iki, eruption of 1959, 358–369
- lava-diverting barrier, feasibility of, 352–357
Leucopogonella, n. gen., 129
 apectenata, n. sp., 129–130
 pallida, n. sp., 130–131

- simila*, n. sp., 131-132
sinuata, n. sp., 132
Leucosolenia nautilia, 192
Limnocalanus grimaldi, 316-317
johanseni, 317
Lindsaea dimorpha, 64
lapeyrousi, 64
nervosa, 65
Lissodendorynx firma, 194-195
noxiosa, 195
Loxoscapha gibberosum, 299
- Maldivian Islands, *Pandanus* of, 328-346
Marcus Island, ecological perspective of, 82-104
Medinilla magnifica, 301
Melastoma decemfidum, 301-303
malabathricum, 301-303
Mesostephanus appendiculatus, 278-281
Microciona coccinea, n. sp., 38
heterospiculata, 38
rubens, n. sp., 38
Micronereis eniwetokensis, n. sp., 273-277
Monachus schauinslandi, 282-293
Mycale adhaerens, 198-199
rara, 39
myctyophid fishes, daylight surface occurrence of, 483
- Nephrolepis biserrata*, 298
hirsutula, 298
- new combination:
Phymatodes pitcairnense, 300
Schizoloma prolongata, 65
- new genus:
Araiophos, 463-465
Dothioia, 124
Gomenella, 126
Leucopogonella, 129
- new name:
Pandanus glauciferus, 327
- New species:
Adocia parietaloides, 37
venustina, 37
Aleurocanthus brevispinosus, 115-116
multispinosus, 116-118
nudus, 118
spinithorax, 118-120
Araiophos gracilis, 465-467
Arbressa evansi, 112-113
Bantamia merleti, 189-191
Bemisia cordylinidis, 120-121
Biemia rhabderemioides, 40
Clethrionomyx imaiizumii, 599-600
Corticella novae-zealandiae, 45
Dialeurodes dothioensis, 121-122
dumbaeensis, 122-123
psychotriae, 123-124
Dysidea cristagalli, 33
Eurytemora foveola, 317-321
Gomenella multipora, 126-127
reflexa, 127-129
- Halichondria moorei*, 40
Halicina glabra, 35
isodictyale, 34
tenacior, 34
Helminthocladia rhizoidea, 60-63
simplex, 56-60
Hibiscus immaculatus, 22-24
Newhousei, 22
Saintjohnianus, 18-21
Ircinia novae zealandiae, 33
Isocella incrassata, 42
Leucopogonella apectenata, 129-130
pallida, 130-131
simila, 131-132
sinuata, 132
Microciona coccinea, 38
rubens, 38
Micronereis eniwetokensis, 273-277
Orchamoplatus perdentatus, 133-134
Pandanus adduensis, 328-331
Andersonii, 576-579
convexus, 180-182
feruliferus, 324-326
Fosbergii, 331-333
fruticosus, 579
Hartmanii, 333-335
Karikayo, 335-339
kimberleyanus, 182-184
magnicavernosus, 587-590
maldivicus, 339-341
oblatus, 569-570
ruber, 579-583
somersetensis, 570-573
sphaericus, 563-565
truncatus, 573-575
yuleensis, 583-587
Parabemisia reticulata, 134-135
Phorbas intermedia, 36
Polydora rickettsi, 78-81
Polymastia fusca, 43
Pranesus capricornus, 540-541
Rhabdermia stellata, 41
Sagitta bierii, 67-71
euneritica, 72-76
peruviana, 105-108
popovicii, 108
Siboglinum veleronis, 542-546
Stylissa stipitata, 199-200
Suberites cupulooides, 42
Syringella amphispicula, 200
Tetraleurodes submarginata, 135-136
- new variety:
Hibiscus Brackenridgei var. *mokuleiana*, 12-13
- oceanic dispersal of *Pandanus pistillaris*, 610-613
Oidium curtisi, 187
Opheliaspongia pennata, 198
Orchamoplatus perdentatus, n. sp., 133-134
Oryctolagus cuniculus, 591-593
Oxyspora paniculata, 301

- Pachygrapsus crassipes*, 49–55
Pandanus adduensis, n. sp., 328–331
Andersonii, n. sp., 576–579
Balfourii, 341
compressus, 327
convexus, n. sp., 182–184
ferromontanus, n. sp., 565–569
feruliferus, n. sp., 324–326
Fosbergii, n. sp., 331–333
fruticosus, n. sp., 579
glauciferus, nom. nov., 327
Hartmanii, n. sp., 333–335
Hornei, 341–345
Karikayo, n. sp., 335–339
kimberleyanus, n. sp., 180–182
magnicavernosus, n. sp., 587–590
maldivicus, n. sp., 339–341
multispicatus, 346
oblatus, n. sp., 569–570
pistillaris, 610–613
ruber, n. sp., 579–583
sechellarum, 346
someretensis, n. sp., 570–573
sphaericus, n. sp., 563–565
truncatus, n. sp., 573–575
yuleensis, n. sp., 583–587
Phorbas intermedia, n. sp., 36
Phymatodes pittcairnense, n. comb., 300
Pitcairn Island, pteridophyte flora of, 297–300
Plakina monolopha, 47
trilopha, 47
Polychoerus carmelensis, 203–210
Polydora rickettsi, n. sp., 78–81
Polymastia fusca, n. sp., 43
granulosa, 44
Porifera from northern New Zealand, 33–48
Pranesus capricornus, n. sp., 540–541
Psilotum nudum, 297
Pterolepis glomerata, 301, 303
Pyrrosia angustata, 299
Queen Charlotte Strait, benthonic algae in, 494–539
Queensland, Australia, new species of *Pandanus* from, 563–575
rabbits, feral, populations on Pacific Islands, 591–593
Rhabderemia stellata, n. sp., 41
Raroia, fungi from, 186–188
Rumohra aristata, 298
Sagitta bierii, n. sp., 67–71
euneritica, n. sp., 72–76
peruviana, n. sp., 105–108
popovicii, n. sp., 108
Sarda chilensis, 487–493
orientalis, 487–493
Schizoloma prolongata, n. comb., 65
Schizophyllum commune, 187
Scypha raphana, 192–193
Seychelles Islands, *Pandanus* of, 328–346
shark incidents, at Eniwetok Atoll, 605–609
Siboglinum veleronis, n. sp., 542–546
Sigmadocia edapha, 194
soils, Pacific, and amorphous mineral colloids, 477–482
Solomon Islands, new species of *Pandanus* from, 576–590
species commonality index, 307–308
Sphenomeris chusana, 66
Spongia reticulata, 33
strontium-90 in coconut crab, 155–159
Styliissa stipitata, n. sp., 199–200
Suberites cupuloides, n. sp., 42
Syringella amphispicula, n. sp., 200
Tapeinidium flavicans, 65
Tedania fragilis, 197
Tetraleurodes submarginata, n. sp., 135–136
Tetrazygia bicolor, 301
Thelypteris uliginosa, 298
Tibouchina semidecandra, 301–303
Toxadocia toxophorus, 37
Trichomonas endlicherianum, 297–298
Vearella lata, 553–556
Vittaria elongata, 300
voles, red-backed, of Japan, 594–604
Xestospongia vanilla, 194
Yanagi Islet, Truk, vegetation of, 561–562