

Index to Volume XXV

Author Index

- ABBOTT, ISABELLA A.:
On some Ceramiaceae (Rhodophyta) from California, 349-356
- ALEXOPOULOS, CONSTANTINE J.:
see Reynolds and Alexopoulos
- BOWMAN, THOMAS E.:
Tortanus scaphus and *Tortanus lophus*, new Pacific planktonic copepods, with notes on *Tortanus murrayi* (Calanoida, Tortanidae), 521-528
- BROWNLIE, G., and W. R. PHILIPSON:
Pteridophyta of the southern Cook group, 502-511
- BRUCE, A. J.:
On a new commensal shrimp *Periclimenes hirsutus* sp. nov. (Crustacea, Decapoda Natantia, Pontoniinae) from Fiji, 91-99
Periclimenes attenuatus sp. nov. (Crustacea, Decapoda, Natantia, Pontoniinae), a new commensal shrimp from the Duke of York Islands, 533-544
- CASTRO, PETER:
The natantian shrimps (Crustacea, Decapoda) associated with invertebrates in Hawaii, 395-403
- CHAVE, K. E.:
Fanning Island expedition—1970, 188-190
see also Smith, Roy, Schiesser, Shepherd, and Chave
- CLARKE, THOMAS A.:
The ecology of the scalloped hammerhead shark, *Sphyrna lewini*, in Hawaii, 133-144
- CROKER, ROBERT A.:
A new species of *Melita* (Amphipoda:Gammaridae) from the Marshall Islands, Micronesia, 100-108
A remarkable new amphipod genus (Crustacea, Gammaridae) from Enewetak Atoll Lagoon, 382-386
- DANA, THOMAS F.:
On the reef corals of the world's most northern atoll (Kure: Hawaiian Archipelago), 80-87
- EBERT, THOMAS A.:
A preliminary quantitative survey of the echinoid fauna of Kealakekua and Honaunau bays, Hawaii, 112-131
- FAN, POW-FOONG, and ROSS R. GRUNWALD:
Sediment distribution in the Hawaiian archipelago, 484-488
- FELSHER, MURRAY:
see Morgenstein and Felsher
- FISK, DONALD M.:
Recoveries from 1964 through 1968 of drift bottles released from a merchant vessel, S.S. *Java Mail*, en route Seattle to Yokohama, October 1964, 171-177
- FOURNIER, ROBERT O.:
see Gordon, Jr.; Fournier; and Krasnick
- GALLAGHER, B. S.; K. M. SHIMADA; F. I. GONZALEZ, JR.; and E. D. STROUP:
Tides and currents in Fanning Atoll Lagoon, 191-205
- GONZALEZ, F. I., JR.:
see Gallagher; Shimada; Gonzalez, Jr.; and Stroup
- GORDON, DONALD C., JR.:
Organic carbon budget of Fanning Island Lagoon, 222-227
see also Gordon, Jr.; Fournier; and Krasnick
- GORDON, DONALD C., JR.; ROBERT O. FOUNIER; and GEORGE J. KRASNICK:
Note on the planktonic primary production in Fanning Island Lagoon, 228-233
- GORE, ROBERT H.:
Megalobrachium poeyi (Crustacea, Decapoda, Portunidae): comparison between larval development in Atlantic and Pacific specimens reared in the laboratory, 404-425
- GOSLINE, WILLIAM A.:
The zoogeographic relationships of Fanning Island inshore fishes, 282-289
- GRUNWALD, ROSS R.:
see Fan and Grunwald
- GUINTHER, ERIC B.:
Ecologic observations on an estuarine environment at Fanning Atoll, 249-259
- HERBST, DERRAL:
A new *Euphorbia* (Euphorbiaceae) from Hawaii, 489-490
- HEWITT, G. C.:
Two species of *Caligus* (Copepoda, Caligidae) from Australian waters, with a description of some developmental stages, 145-164

- HOLMES, J. C.:
see Lewin and Holmes
- HOUBRICK, JOSEPH R.:
 Some aspects of the anatomy, reproduction, and early development of *Cerithium nodulosum* (Bruguère) (Gastropoda, Prosobranchia), 560-565
- HUBBARD, NORMAN JAY:
 Some chemical features of lavas from the Manu'a Islands, Samoa, 178-187
- HUMES, ARTHUR G.:
Sunaristes (Copepoda, Harpacticoida) associated with hermit crabs at Eniwetok Atoll, 529-532
- JACKSON, TOGWELL A.:
 A study of the ecology of pioneer lichens, mosses, and algae on Recent Hawaiian lava flows, 22-32
- JOHNSON, CLIFFORD RAY, and WILLIAM STABLUM:
 Observations on the feeding behavior of *Conus geographus* (Gastropoda:Toxoglossa), 109-111
- KAY, E. ALISON:
 The littoral marine molluscs of Fanning Island, 260-281
- KEITH, DONALD E.:
 Substrate selection in caprellid amphipods of southern California, with emphasis on *Caprella californica* Stimpson and *Caprella equilibra* Say (Amphipoda), 387-394
- KRASNICK, GEORGE J.:
see Gordon, Jr.; Fournier; and Krasnick
- LEWIN, V., and J. C. HOLMES:
 Helminths from the exotic game birds of the Puu-waawaa Ranch, Hawaii, 372-381
- LONGHURST, ALAN R., and DON L. R. SEIBERT:
 Breeding in an oceanic population of *Pleuroncodes planipes* (Crustacea, Galatheidae), 426-428
- MORGENSTEIN, MAURY:
 A study of the growth morphologies of two deep-sea manganese meganodules, 308-312
see also Morgenstein and Felsher
- MORGENSTEIN, MAURY, and MURRAY FELSHER:
 The origin of manganese nodules: a combined theory with special reference to palagonitization, 301-307
- MUSCATINE, LEONARD:
 Experiments on green algae coexistent with zooxanthellae in sea anemones, 13-21
- NORRIS, RICHARD E.:
see Russell and Norris
- O'NEILL, THOMAS B., and GARY L. WILCOX:
 The formation of a "primary film" on materials submerged in the sea at Port Hueneme, California, 1-12
- PHILIPSON, W. R.:
see Brownlie and Philipson
- REIMER, AMADA ALVAREZ:
 Feeding behavior in the Hawaiian zoanthids *Palythoa* and *Zoanthus*, 512-520
- REYNOLDS, DON R., and CONSTANTINE J. ALEXOPOULOS:
 Southeast Asian myxomycetes. I. Thailand and Burma, 33-38
- ROBILLIARD, GORDON A.:
 Predation by the nudibranch *Dirona albolineata* on three species of prosobranches, 429-435
- ROSENBLATT, RICHARD H., and LEIGHTON R. TAYLOR, JR.:
 The Pacific species of the clinid fish tribe Starksiiini, 436-463
- ROY, K. J.:
see Roy and Smith
see also Smith, Roy, Schiesser, Shepherd, and Chave
- ROY, K. J., and S. V. SMITH:
 Sedimentation and coral reef development in turbid water: Fanning Lagoon, 234-248
see also Smith, Roy, Schiesser, Shepherd, and Chave
- RUDMAN, W. B.:
 On the opisthobranch genus *Haminoea* Turton & Kingston, 545-559
- RUSSELL, DENNIS J., and RICHARD E. NORRIS:
 Ecology and taxonomy of an epizoic diatom, 357-367
- ST. JOHN, HAROLD:
 Endemic plants of Kipahulu Valley, Maui, Hawaiian Islands. Hawaiian Plant Studies 36, 39-79
see also St. John and Smith
- ST. JOHN, HAROLD, and ALBERT C. SMITH:
 The vascular plants of the Horne and Wallis Islands, 313-348
- SCHIESSER, H. G.:
see Smith, Roy, Schiesser, Shepherd, and Chave
- SCHROTH, C. L.:
 Soil sequences of western Samoa, 291-300
- SEIBERT, DON L. R.:
see Longhurst and Seibert
- SERAFY, DONALD KEITH:
 A new species of *Clypeaster* (Echinodermata, Echinoidea) from San Felix Island, with a key to the Recent species of the eastern Pacific Ocean, 165-170
- SHEPHERD, G. L.:
see Smith, Roy, Schiesser, Shepherd, and Chave
- SHIMADA, K. M.:
see Gallagher; Shimada; Gonzalez, Jr.; and Stroup

- SMITH, ALBERT C.:
Absorption of water and nuclear lens protein by nuclear lens tissue, 566-568
- SMITH, ALBERT C.:
Studies of Pacific island plants, XXII. New flowering plants from Fiji, 491-501
see also St. John and Smith
- SMITH, S. V.:
see Roy and Smith
see also Smith, Roy, Schiesser, Shepherd, and Chave
- SMITH, S. V., K. J. ROY, H. G. SCHIESSEER, G. L. SHEPHERD, and K. E. CHAVE:
Flux of suspended calcium carbonate (CaCO_3), Fanning Island Lagoon, 206-221
see also Roy and Smith
- STRICKLAND, DAVID L.:
Differentiation and commensalism in the hydroid *Proboscidactyla flavigerrata*, 88-90
- STROUP, E. D.:
see Gallagher; Shimada; Gonzalez, Jr.; and Stroup
- TAYLOR, LEIGHTON R., JR.:
see Rosenblatt and Taylor, Jr.
- TOMICH, P. QUENTIN:
Notes on nests and behavior of the Hawaiian crow, 465-474
- VOGL, RICHARD J.:
Vegetation of an alpine bog on East Maui, Hawaii, 474-483
- WELLS, JOHN W.:
Notes on Indo-Pacific scleractinian corals. Part 7, *Catalaphyllia*, a new genus of reef corals, 368-371
- WILCOX, GARY L.:
see O'Neill and Wilcox

Subject Index

- Alpine bog, vegetation of an, 475-483
- Algae
green, coexistent with zooxanthellae in sea anemones, 13-21
pioneer, on recent Hawaiian lava flows, 22-32
- Amphipods, caprellid, substrate selection in, 387-394
- Anthopleura* spp., green algae coexistent with zooxanthellae in, 13-21
- Argyroxiphium Forbesii* sp. nov., 68-70
- Argyroxiphium virescens* Hbd. var. *paludosa* var. nov., 70-73
- Astronidium saulae* sp. nov., 497-498
- Australia, two species of *Caligus* from, 145-164
- Behavior, feeding, of *Conus geographus*, 109-111
- Bornetia californica* Abbott, new species, 349-352
- Burma, Myxomycetes of, 33-38
- California
some Ceramiaceae from, 349-356
substrate selection in caprellid amphipods of southern, 387-394
- Calcium carbonate, flux of suspended, in Fanning Island Lagoon, 206-221
- Caligus epidemius* n. sp., 145-161
- Caprella californica* Stimpson from southern California, 387-394
- Caprella equilibra* Say from southern California, 387-394
- Carbon budget, organic, of Fanning Island Lagoon, 222-227
- Casearia pubipes* sp. nov., 492-493
- Catalaphyllia* new genus, 368-371
- Ceramiaceae from California, 349-356
- Cerithium nodulosum*, some aspects of anatomy, reproduction, and early development of, 560-565
- Cleistocalyx decussatus* sp. nov., 495
- Cleistocalyx kasiensis* sp. nov., 494-495
- Clermontia kakeana* Meyen var. *orientalis* var. nov., 60-61
- Clermontia rosacea* sp. nov., 61-63
- Clypeaster isolatus* sp. nov., 165-170
- Commensalism in *Proboscidactyla flavigerrata*, 88-90
- Conus geographus*, feeding behavior of, 109-111
- Cook Islands, southern: Pteridophytes of, 502-511
- Copepoda from Australia, two species of, 145-164
- Coral reefs, development of, as affected by sedimentation and turbid water, 234-248
- Corals
of Kure, 80-87
a new genus of reef, 368-371
- Cyanea bicolor* sp. nov., 63-65
- Cyanea haleakalaensis* sp. nov., 65-67
- Cyrnandra kipahuluensis* sp. nov., 52-55
- Cyrnandra paludosa* Gaud. var. *irrostrata* var. nov., 55-56
- Cyrnandra rotata* sp. nov., 56-58
- Cyrnandra spathulata* sp. nov., 58-60
- Diatom, an epizoic: ecology and taxonomy of, 357-367
- Differentiation in *Proboscidactyla flavigerrata*, 88-90
- Dirona albolineata*, predation by, on three species of Prosobranchs, 429-435
- Drift bottles released at sea, recoveries of, 171-177

- Duke of York Islands: *Periclimenes attenuatus*, a new commensal shrimp from, 533-544
- Echinoidea in Kealakekua and Honaunau bays, preliminary quantitative survey of, 112-131
Elaeocarpus ampliflorus sp. nov., 492
Elaeocarpus praeclarus sp. nov., 491-492
Elatostema yenii St. John, sp. nov., 319-322
 Eniwetok Atoll
Jerbarnia mecochira new genus and species from, 382-386
Sunaristes associated with hermit crabs at, 529-532
 Estuarine environment, ecologic observations on, at Fanning Atoll, 249-259
Euphorbia haeleeleana sp. nov., 489-490
- Fanning Island
 ecologic observations on an estuarine environment, 249-259
 flux of suspended calcium carbonate in lagoon, 206-221
 littoral marine molluscs of, 260-281
 organic carbon budget of lagoon, 222-227
 planktonic primary production in lagoon, 228-233
 sedimentation and coral reef development in turbid water in lagoon, 234-248
 tides and currents in lagoon, 191-205
 zoogeographic relationships of inshore fishes, 282-289
- Fiji
 new flowering plants from, 491-501
Periclimenes hirsutus sp. nov. from, 91-99
- Fishes, Fanning Island inshore, zoogeographic relationships of, 282-289
Flacourtie amalotricha sp. nov., 493-494
- Haminoea*, the herbivorous opisthobranch genus, 545-559
- Hawaiian crow, nests and behavior of, 465-474
- Hawaiian Islands
 birds of, Hawaiian crow, 465-474
 echinoid fauna of Kealakekua and Honaunau bays, 112-131
 ecology of pioneer lichens, mosses, and algae on recent lava flows, 22-32
 ecology of scalloped hammerhead shark, *Sphyraena lewini*, 133-144
 endemic plants of Kipahulu Valley, Maui, 39-79
 feeding behavior in zoanthids *Palythoa* and *Zoanthus*, 512-520
 helminths from exotic game birds of Puuwaawaa Ranch, Hawaii, 372-381
 natantian shrimps associated with invertebrates in, 395-403
 a new *Euphorbia* from, 489-490
 reef corals of Kure, 80-87
 sediment distribution in, 484-488
 vegetation of an alpine bog on East Maui, 475-483
- Hawaiian Plant Studies
 36. Endemic plants of Kipahulu Valley, Maui, Hawaiian Islands, 39-79
- Honaunau Bay, Hawaii, preliminary quantitative survey of echinoid fauna in, 112-131
 Horne and Wallis Islands, vascular plants of, 313-348
 Hydroids
Proboscidactyla flavigerrata, differentiation and commensalism in, 88-90
- Jerbarnia mecochira* new species, 382-386
Jerbarnia new genus, 382-386
- Kealakekua Bay, Hawaii, preliminary quantitative survey of echinoid fauna in, 112-131
- Key
 to the Indo-West-Pacific pontoniid shrimps known to be associated with crinoid hosts, 543-544
 to Pacific species of the tribe Starksiiini, 443-444
 to Recent species of *Clypeaster* in the eastern Pacific Ocean, 168-170
- Keysseria lavandula* sp. nov., 73, 75-76
Keysseria maviensis (Mann) Cabrera, forma *emarginata* (Forbes) comb. nov., 76
 Kipahulu Valley, endemic plants of, 39-79
 Kure, reef corals of, 80-87
- Lagenophora viridis* sp. nov., 76-78
 Larval development in *Megalobrachium poeyi*, comparison of, between Atlantic and Pacific specimens reared in the laboratory, 404-425
 Lava flows, recent, ecology of pioneer lichens, mosses, and algae on, 22-32
 Lavas, some chemical features of, from Manu'a Islands, Samoa, 178-187
 Lichens, pioneer, on recent Hawaiian lava flows, 22-32
Lysimachia kipahuluensis sp. nov., 50-52
- Manganese meganodules, growth morphologies of two deep-sea, 308-312
 Manganese nodules, origin of, 301-307
 Manu'a Islands, Samoa, some chemical features of lavas from, 178-187
 Marshall Islands, *Melita celericula* new species from, 100-108
Megalobrachium poeyi, 404-425
 Meganodules, manganese, growth morphologies of two deep-sea, 308-312
Melia celericula new species, 100-108
Memecylon insperatum sp. nov., 498-499
Meryta tanuifolia sp. nov., 499
 Molluscs, littoral marine, of Fanning Island, 260-281
 Mosses, pioneer, on recent Hawaiian lava flows, 22-32
 Myxomycetes of Thailand and Burma, 33-38
- New combinations
Keysseria maviensis (Mann) Cabrera, forma *emarginata* (Forbes) (Compositae), 76
Ptilothamnion codicolum (Dawson) (Ceramiaceae), 352-353, 355
Thelypteris harveyi (Mett. ex Kuhn) Brownlie (Thelypteridaceae), 318

- Tiffaniella snyderae* (Farlow) (Ceramiaceae), 352, 354
 New forms: *Pelea clusiaeifolia* Gray var. *minor* St. John, forma *stenophylla* (Rutaceae), 47
 New genera
Catalaphyllia (Eusmiliidae), 368–371
Jerbarnia (Gammaridae), 382–386
Sameioneis (Bacillariophyceae), 357–367
Xenomedea (Clinidae), 444–445
 New species
Argyroxiphium Forbesii (Compositae), 68–70
Astronium saulae (Melastomataceae), 497–498
Bornetia californica (Ceramiaceae), 349–352
Caligus epidemius (Caligidae), 145–161
Casearia pubipes (Flacourtiaceae), 492–493
Cleistocalyx decussatus (Myrtaceae), 495
Cleistocalyx kasiensis (Myrtaceae), 494–495
Clermontia rosacea (Lobeliaceae), 61–63
Clypeaster isolatus (Clypeasteridae), 165–170
Cyanea bicolor (Lobeliaceae), 63–65
Cyanea haleakalaensis (Lobeliaceae), 65–67
Cyrtandra kipahuluensis (Gesneriaceae), 52–55
Cyrtandra rotata (Gesneriaceae), 56–58
Cyrtandra spathulata (Gesneriaceae), 58–60
Elaeocarpus ampliflorus (Elaeocarpaceae), 492
Elaeocarpus praeclarus (Elaeocarpaceae), 491–492
Elatostema yenii (Urticaceae), 319–322
Euphorbia baeleeleana (Euphorbiaceae), 489–490
Flacourtie amalotricha (Flacourtiaceae), 493–494
Jerbarnia mecochira (Gammaridae), 382–386
Keysseria lavandula (Compositae), 73, 75–76
Lagenophora viridis (Compositae), 76–78
Lysimachia kipabuluensis (Primulaceae), 50–52
Melita celericula (Gammaridae), 100–108
Memecylon insperatum (Melastomataceae), 498–499
Meryta tanuifolia (Araliaceae), 499
Panicum lamiatile (Gramineae), 39–41
Panicum lustriale (Gramineae), 41–43
Pelea anapanapaensis (Rutaceae), 43–46
Pelea kipabuluensis (Rutaceae), 48–50
Peperomia futunaensis (Piperaceae), 324–325
Peperomia kipabuluensis (Piperaceae), 43, 44
Periclimenes attenuatus (Pontoniinae), 533–544
Periclimenes hirsutus (Pontoniinae), 91–99
Phymatodes katuui (Polypodiaceae), 509–510
Piliocalyx concinnus (Myrtaceae), 496–497
Psychotria brachythrix (Rubiaceae), 500–501
Psychotria vesula (Rubiaceae), 499–500
Sameioneis carinae (Bacillariophyceae), 357–367
Starksia fulva (Clinidae), 454–456
Starksia galapagensis (Clinidae), 455, 456–457
Starksia grammilaga (Clinidae), 455, 457–458
Starksia guadalupae (Clinidae), 458–459
Starksia boesei (Clinidae), 458, 459–460
Starksia lepidogaster (Clinidae), 447–460
Starksia posthon (Clinidae), 447, 460–461
Tortanus (Atortus) lophus (Tortanidae), 521–528
Tortanus (Atortus) scapus (Tortanidae), 521–528
Xenomedea rhodopyga (Clinidae), 437, 445–453
 New varieties
Argyroxiphium virescens Hbd. var. *paludosa* (Compositae), 70–73
Clermontia kakeana Meyen var. *orientalis* (Lobeliaceae), 60–61
Cyrtandra paludosa Gaud. var. *irrostrata* (Gesneriaceae), 55–56
Pelea clusiaeifolia Gray var. *minor* St. John, *minor* forma (Rutaceae), 46–47
Railliardia demissifolia Sherff var. *dolichophylla* var. nov. (Compositae), 78–79
Trematolobelia macrostachys (H. & A.) Zahlbr. var. *haleakalaensis* (Lobeliaceae), 67–68
 Nodules, manganese, origin of, 301–307
 Notes on Indo-Pacific Scleractinian Corals
 7. *Catalaphyllia*, a new genus of reef corals, 368–371
 Nuclear lens tissue, absorption of water and nuclear lens protein by, 566–568
Palythoa psammophilia, feeding behavior in, 512–520
Panicum lamiatile sp. nov., 39–41
Panicum lustriale sp. nov., 41–43
Pelea anapanapaensis sp. nov., 43–46
Pelea clusiaeifolia Gray var. *minor* St. John, forma *stenophylla* forma nova, 47
Pelea clusiaeifolia Gray var. *minor* St. John, var. nov., minor forma, 46–47
Pelea kipabuluensis sp. nov., 48–50
Peperomia futunaensis St. John, sp. nov., 324–325
Peperomia kipabuluensis sp. nov., 43, 44
Periclimenes attenuatus sp. nov., 533–544
Periclimenes hirsutus sp. nov., 91–99
Phymatodes katuui Brownlie sp. nov., 509–510
Piliocalyx concinnus sp. nov., 496–497
Pleuroncodes planipes, breeding of, in an oceanic population, 426–428
 Primary film (slime layer), formation of, on materials submerged in sea, 1–12
 Primary production, planktonic, in Fanning Island Lagoon, 228–233
Proboscidactyla flavigerrata, differentiation and commensalism in, 88–90
 Prosobranchs, predation on, by the nudibranch *Dirona abollinata*, 429–435
Psychotria brachythrix sp. nov., 500–501
Psychotria vesula sp. nov., 499–500
Ptilohamnion codicolum (Dawson) new comb., 352–353, 355
Railliardia demissifolia Sherff var. *dolichophylla* var. nov., 78–79
Sameioneis carinae gen. et sp. nov., 357–367
 San Felix Island, a new species of *Clypeaster* from, 165–170
 Samoa
 soil sequences of western, 291–300
 some chemical features of lavas from Manu'a Islands, 178–187
 Scalloped hammerhead shark, ecology of, in Hawaiian Islands, 133–144

- Sea anemones, green algae coexistent with zoxanthellae in, 13-21
Shrimps, natantian, associated with invertebrates in Hawaiian Islands, 395-403
Slime layer (primary film), formation of, on materials submerged in sea, 1-12
Soil sequences, effects of age and rainfall on, in western Samoa, 291-300
Southeast Asian Myxomycetes
 I. Thailand and Burma, 33-38
Sphyrna lewini, ecology of, in Hawaiian Islands, 133-144
Starksia fulva new species, 454-456
Starksia galapagensis new species, 455, 456-457
Starksia grammilaga new species, 455, 457-458
Starksia guadalupae new species, 458-459
Starksia boesei new species, 458, 459-460
Starksia lepidogaster new species, 447, 460
Starksia poston new species, 447, 460-461
Starksiini, the Pacific species of the clinid fish tribe of, 436-463
Studies of Pacific Island Plants
 XXII. New flowering plants from Fiji, 491-501
Sunaristes, associated with hermit crabs, 529-532
Thailand, Myxomycetes of, 33-38
Thelypteris harveyi (Mett. ex Kuhn) Brownlie, comb. nov., 318
Tides and currents in Fanning Island Lagoon, physical studies of, 191-205
Tiffaniella snyderae (Farlow) new comb., 352, 354
Tortanus (Atortus) lophus new species, 521-528
Tortanus (Atortus) murrayi, notes on, 521-528
Tortanus (Atortus) scaphus new species, 521-528
Trematolobelia macrostachys (H. & A.) Zahlbr. var. *haleakalaensis* var. nov., 67-68
Xenomedea new genus, 444-445
Xenomedea rhodopyga new species, 437, 445-453
Zoanthus pacificus, feeding behavior in, 511-520
Zooxanthellae, coexistent with green algae in sea anemones, 13-21