

Holotype male collected by Wm. C. Look in the vicinity of the Pohakuloa Camp, on the "saddle road," Hawaii, September 20, 1946. At the same time agrotid-like caterpillars different from any species known to me were collected on *Chenopodium oahuense*, but Mr. Look and myself failed to rear any of them. Yet it seems a possibility that they could have been the larvae of *Feltia lookii*. Allotype female, a specimen in the collection of the Hawaiian Sugar Planters' Experiment Station, labelled "Waimea, Hawaii, 10-11-08," apparently collected by Swezey. This female had been placed with specimens of *Feltia dislocata* which it greatly resembles though of smaller size and the combined orbicular and reniform mark in fore wing is of different form as described above.

Holotype in the type collection of the Hawaiian Entomological Society.

Synonymy of Two Common Moths of Stored Food Products

By O. H. SWEZEY

(Presented at the meeting of December 9, 1946)

In a recent paper by Dr. A. Steven Corbet and Mr. W. H. T. Tams: "Keys for the Identification of the Lepidoptera infesting Stored Food Products" (Proc. Zool. Soc., Ser. B, 113:55-148, 1943), the names for two moths are different from what have been in use in Hawaii, and it is presumed that our names should be treated as synonyms.

Endrosis sarcitrella (Linn.), p. 103

= *Endrosis lactella* (Schiff.)

Setomorpha rutella Zeller, p. 111

= *Setomorpha dryas* (Butler) Walsm.

= *Setomorpha insectella* (Fabr.) Walsm.