

Index to Volume 38

Author Index

- ABBOTT, ISABELLA A.
Peleophycus multiprocarpium gen. et sp. nov. (Gloiosiphoniaceae, Rhodophyta), 324–332
- BAILEY-BROCK, JULIE H., and PETER J. HAYWARD
A Freshwater Bryozoan, *Hyalinella vaihirieae* Hastings (1929), from Hawaiian Prawn Ponds, 199–204
- BAKER, C. SCOTT
Seasonal Contrasts in the Social Behavior of the North Pacific Humpback Whale [abstr.], 356
- BAKER, GLADYS E.
see Dunn and Baker
- BALDWIN, WAYNE J.
A Note on the Occurrence of the Gold Spot Herring, *Herklotsichthys quadrimaculatus* (Rüppell) in Hawaii, 123–126
- BANKS, RICHARD C.
Bird Specimens from American Samoa, 150–169
- BANNER, ALBERT H., and DORA M. BANNER
Old and Unreported Collections of Alpheid Shrimp from the Zoologisches Museum, Berlin, principally from Melanesia, 34–50
- BANNER, DORA M.
see Banner and Banner
- BELL, JANICE L.
Staloliths as Age Indicators in Gastropod Larvae: Application to Measurement of Field Growth Rates [abstr.], 357
- BERG, JOHN T., and RICHARD M. SMITH
A Role for Phagocytes in Endotoxin Protection from Oxygen Toxicity [abstr.], 87–88
- BIENFANG, PAUL K., LUIS MORALES, KAREN KLEIN, and MASAYUKI TAKAHASHI
Picoplankton Growth Rates in Subtropical Hawaiian Embayments, 134–140
- BRASHEAR, ROBERTA LYNN
The Isolation and Preliminary Characterization of Canavanine Resistant Mutants of HeLa Cells [abstr.], 88
- BROCK, RICHARD E.
A Contribution to the Trophic Biology of the Blue Marlin (*Makaira nigricans* Lacépède, 1802) in Hawaii, 141–149
- BROSTOFF, WILLIAM N.
Sporochmus dotyi sp. nov. (Sporochnales, Phaeophyta), a Brown Alga from Hawaii, 177–181
- BRUCE, A. J., and D. A. CROPP
A Redescription of *Periclimenes yaldwyni* Holthuis (*Brachycarpus audouini* Bate, 1888, Crustacea, Decapoda, Palaemonidae) and Its Occurrence in Australian Waters, 189–198
- CANFIELD, JOAN E.
Tissue Water Relations of Bog and Rainforest Plants of Alakai Swamp, Kauai, Hawaii [abstr.], 357–358
- CANNON, MARILYN I.
New Findings on the Systematics, Cytology, and Reproductive Strategies of *Porphyra* (Bangiaceae, Rhodophyta) in Hawaii and California [abstr.], 358
- CARLSON, BRUCE A., JAMES MCKIBBEN, and MICHAEL V. DEGRUY
Nautilus belauensis (Mollusca: Cephalopoda): A Test of the Vertical Migration Hypothesis Using Telemetry [abstr.], 88–89
Telemetric Investigation of Vertical Migration of *Nautilus belauensis* in Palau, 183–188
- CHANG, LINDA
Metaphase Chromosome Comparisons in Five Species of Hawaiian *Drosophila* [abstr.], 359
- CLARKE, BRYAN, JAMES MURRAY, and MICHAEL S. JOHNSON
The Extinction of Endemic Species by a Program of Biological Control, 97–104
- COX, EVELYN
The Effects of Selective Predation on Growth and Competitive Interactions between Two Corals, *Montipora verrucosa* and *Porites compressa*, in Kaneohe Bay, Oahu [abstr.], 359–360
- CROPP, D. A.
see Bruce and Cropp
- DEGRUY, MICHAEL V.
see Carlson, McKibben, and DeGruy
- DUNN, PAUL H., and GLADYS E. BAKER
Filamentous Fungal Populations of Hawaiian Beaches, 232–248
- DUNN, RONALD E.
Sugar Transport by Lobster Hepatopancreatic Brush Border Membrane Vesicles from Whole Tissue and Isolated Absorptive Cells [abstr.], 360
- EAGLE, R. J.
see Noshkin, Wong, Eagle, and Jokela
- FITZHARDINGE, RACHEL
Some Preliminary Observations on Coral Recruitment in Kaneohe Bay, Oahu [abstr.], 361
- GOLDBERG, STEPHEN R., and DONALDO MUSSIETT C.
Reproductive Cycle of the Pacific Bonito, *Sarda chilensis* (Scombridae), from Northern Chile, 228–231
- GOSLINE, WILLIAM A.
Structure, Function, and Ecology in the Goatfishes (Family Mullidae), 312–323
- GRAHAM, ROBERT A.
see Posey, Pregnall, and Graham
- GRANT, GILBERT S., and G. CAUSEY WHITTOW
Metabolic Rate of Laysan Albatross and Bonin Petrel Chicks on Midway Atoll, 170–176

- HARDY, GRAHAM S.
Redescription of the Pufferfish *Torquigener brevipinnis* (Regan) (Tetraodontiformes: Tetraodontidae), with Description of a New Species of *Torquigener* from Indonesia, 127–133
- HAYWARD, PETER J.
see Bailey-Brock and Hayward
- HENDRIK, SHARON
Some Aspects of the Early Life History of Mahimahi (*Coryphaena hippurus*) Reared in the Laboratory [abstr.], 89
- HERBERT, DARRELL
Productivity of the Seagrass *Halophila hawaiiiana* [abstr.], 362
- HIRAOKA, LEA R.
Detection of in situ Hybrids by a Monoclonal Enzyme-linked Assay [abstr.], 89–90
- HODGSON, GREGOR
Preliminary Observations concerning the Abundance and Distribution of Planktonic Coral Larvae in Kaneohe Bay, Oahu [abstr.], 362
- HOLTEN, R. L.
see Riedel, Wilson, and Holten
- HOURLIGAN, THOMAS F.
The Distribution and Abundance of Coral-Feeding Butterflyfishes at Puako, Hawaii [abstr.], 90
Pair Bond Formation and Monogamy in Two Species of Hawaiian Butterflyfishes (Fam. Chaetodontidae) [abstr.], 363
- HUNTER, C. L., and C. C. KEHOE
Patchwork Patchreefs: Clonal Diversity of the Coral *Porites compressa* in Kaneohe Bay, Oahu [abstr.], 363–364
- JOHNSON, MICHAEL S.
see Clarke, Murray, and Johnson
- JOKELA, T. A.
see Noshkin, Wong, Eagle, and Jokela
- KATAYAMA, AKIKO
The Development of Auditory Function in the Brain: A Study of Far-Field Evoked Responses in Newborn and Adult Chickens [abstr.], 364
- KEHOE, C. C.
see Hunter and Kehoe
- KEHOE, CEDAR C.
The Supply of Empty Shells and the Population Structure of the Hermit Crab *Calcinus seurati* [abstr.], 364–365
- KELLEY, CHRISTOPHER D.
Evidence for Sex Change and Data on Spawning Frequency from the Gonads of a Pomacanthid Fish [abstr.], 365–366
- KINZIE, R. A., III
Aloha Also Means Goodbye: A Cryptogenic Stomatopod in Hawaii, 298–311
- KLEIN, KAREN
see Bienfang, Morales, Klein, and Takahashi
- KRUPP, DAVID A.
Mucus Production by Corals Exposed during an Extreme Low Tide, 1–11
- LAMBERTS, AUSTIN E.
The Reef Corals *Lithactinia* and *Polyphyllia* (Anthozoa, Scleractinia, Fungiidae): A Study of Morphological, Geographical, and Statistical Differences, 12–27
- LAU, COLIN J.
Setogenesis as a Molt-Staging Technique in the Slipper Lobster, *Scyllarides squammosus* (Milne Edwards) [abstr.], 91
Opening of Bivalves by a Nonchelate Crustacean Predator [abstr.], 366–367
- LEWIS, JANE E.
Reproduction in *Galaxaura* (Rhodophyta) [abstr.], 367
- MADENJIAN, C. P.
Intervention Analysis of Power Plant Impact on Fish Population [abstr.], 367–368
- McKIBBEN, JAMES N.
see Carlson, McKibben, and DeGruy
- MORALES, LUIS
see Bienfang, Morales, Klein, and Takahashi
- MORTON, BRIAN
Prey Capture in *Lyonsiella formosa* (Bivalvia: Anomalodesmata: Verticordiacea), 283–297
- MURPHY, SUSAN J.
The pH-Dependence of Motility and the Acrosome Reaction of Guinea Pig Spermatozoa [abstr.], 368–369
- MURRAY, JAMES
see Clarke, Murray, and Johnson
- MUSSIETT C., DONALDO
see Goldberg and MussiETT C.
- NORRIS, JAMES E.
Food Habits of Piscivorous Coral Reef Fishes from the Northwestern Hawaiian Islands [abstr.], 369–370
- NOSE, YUKIO
see Sano, Shimizu, and Nose
- NOSHKIN, V. E., K. M. WONG, R. J. EAGLE, and T. A. JOKELA
Concentrations of ^{207}Bi and ^{210}PB - ^{210}Bi - ^{210}Po Disequilibrium in Fish, 350–355
- PAUL, LINDA M. B.
Influence of Molt Frequency and Size Composition on Estimates of Populations of the Spiny Lobster, *Panulirus marginatus* [abstr.], 91–92
- POSEY, MARTIN H., A. MARSHALL PREGNALL, and ROBERT A. GRAHAM
A Brief Description of a Subtidal Sabellariid (Polychaeta) Reef on the Southern Oregon Coast, 28–33
- PREGNALL, A. MARSHALL
see Posey, Pregnall, and Graham
- RALSTON, STEPHEN
see Randall and Ralston
- RANDALL, JOHN E., and STEPHEN RALSTON
A New Species of Serranid Fish of the Genus *Anthias* from the Hawaiian Islands and Johnston Island, 220–227
- RAYSON, THOMAS C.
Expression of a SRC-Homologous Gene during Em-

- bryogenesis of the Hawaiian Sea Urchin, *Tripneustes gratilla* [abstr.], 370-371
- RIEDEL, GERHARDT F., STEPHANIE L. WILSON, and R. L. HOLTON
Trace Metals in the Columbia River Estuary Following the 18 May 1980 Eruption of Mount St. Helens, 340-349
- SAKAI, HOWARD F.
see Scowcroft and Sakai
- SANO, MITSUHIKO, MAKOTO SHIMIZU, and YUKIO NOSE
Changes in Structure of Coral Reef Fish Communities by Destruction of Hermatypic Corals: Observational and Experimental Views, 51-79
- SATO, VERNON T.
A Taxonomic Survey of Microscopic Freshwater Algae in Hawaii: A Report on Some Common Species [abstr.], 371-372
- SCHROEDER, ROBERT E.
An Experimental Study of the Effects of Piscivorous Predators on Reef Fish Recruitment, Survival, and Community Structure [abstr.], 92
- SCOWCROFT, PAUL G., and HOWARD F. SAKAI
Stripping of *Acacia koa* Bark by Rats on Hawaii and Maui, 80-86
see also Stein and Scowcroft
- SHIMIZU, MAKOTO
see Sano, Shimizu, and Nose
- SMALLEY, THOMAS L.
The Possible Effects of Intraspecific Competition upon the Population Structure of a Solitary Vermetid Mollusk [abstr.], 92-93
- SMITH, CLIFFORD W.
Hawaii's Alectorioid Lichens, 249-252
- SMITH, RICHARD M.
see Berg and Smith
- STEIN, JOHN D., and PAUL G. SCOWCROFT
Growth and Refoliation of Koa Trees Infested by the Koa Moth, *Scotorythra paludicola* (Lepidoptera: Geometridae), 333-339
- ST. JOHN, HAROLD
Novelties in Lipochaeta (Compositae). Hawaiian Plant Studies 119, 253-282
- TAKAHASHI, MASAYUKI
see Bienfang, Morales, Klein, and Takahashi
- TELECKY, TERESA M.
Alternate Male Reproductive Strategies in the Giant Malaysian Prawn, *Macrobrachium rosenbergii* [abstr.], 372-373
- WALKER, MICHAEL M.
Single Domain Magnetite Crystals and Their Possible Arrangement in Magnetoreceptor Organelles in the Yellowfin Tuna, *Thunnus albacares* [abstr.], 93-94
- WALSH, WILLIAM J.
The Effects of Reef Isolation and Habitat Structure on the Fish Communities of Small Artificial Reefs [abstr.], 94
- WELLS, JOHN W.
Notes on Indo-Pacific Scleractinian Corals. Part 10. Late Pleistocene Ahermatypic corals from Vanuatu, 205-219
- WHITTOW, G. CAUSEY
see Grant and Whittow
- WILSON, STEPHANIE L.
see Riedel, Wilson, and Holton
- WONG, K. M.
see Noshkin, Wong, Eagle, and Jokela
- ZMARZLY, D. L.
Distribution and Ecology of Shallow-Water Crinoids at Enewetak Atoll, Marshall Islands, with an Annotated Checklist of Their Symbionts, 105-122

Subject Index*

- Acrosome reaction of guinea pig spermatozoa, pH-dependence of motility and the [abstr.], 368–369
- Alakai Swamp
 see Hawaiian Islands
- Alaska
 seasonal contrasts in the social behavior of the North Pacific humpback whale [abstr.], 356
- Algae in Hawaii, a taxonomic survey of: a report on some common species [abstr.], 371–372
- American Samoa
 see Samoa, American
- Angiospermae
 see Magnoliopsida
- Anthias fucinus* sp. nov., 220–227
- Anthozoa
 changes in structure of coral reef fish communities by destruction of hermatypic corals: observational and experimental views, 51–79
 effects of selective predation on growth and competitive interactions between two corals, *Montipora verrucosa* and *Porites compressa*, in Kaneohe Bay, Oahu [abstr.], 359–360
 mucus production by corals exposed during an extreme low tide, 1–11
 notes on Indo-Pacific scleractinian corals. Part 10. Late Pleistocene ahermatypic corals from Vanuatu, 205–219
 patchwork patchreefs: clonal diversity of the coral *Porites compressa* in Kaneohe Bay, Oahu [abstr.], 363–364
 preliminary observations concerning the abundance and distribution of planktonic coral larvae in Kaneohe Bay, Oahu [abstr.], 362
 reef corals *Lithactinia* and *Polyphyllia* (Anthozoa, Scleractinia, Fungiidae): a study of morphological, geographical, and statistical differences, 12–27
 some preliminary observations on coral recruitment in Kaneohe Bay, Oahu [abstr.], 361
- Asterozoa
 changes in structure of coral reef fish communities by destruction of hermatypic corals: observational and experimental views, 51–79
- Auditory function in the brain, development of: a study of far-field evoked responses in newborn and adult chickens [abstr.], 364
- Australia
 a redescription of *Periclimenes yaldwyni* Holthuis (*Brachycarpus audouini* Bate, 1888, Crustacea, Decapoda, Palaemonidae) and its occurrence in Australian waters, 189–198
- Aves
 bird specimens from American Samoa, 150–169
 development of auditory function in the brain: a study of far-field evoked responses in newborn and adult chickens [abstr.], 364
- metabolic rate of Laysan albatross and Bonin petrel chicks on Midway Atoll, 170–176
- Bikini Atoll
 see Marshall Islands
- Biological control, extinction of endemic species by a program of, 97–104
- Bivalvia
 opening of bivalves by a nonchelate crustacean predator [abstr.], 366–367
 prey capture in *Lyonsiella formosa* (Bivalvia: Anomalodesmata: Verticordiacea), 283–297
- Bog and rainforest plants of Alakai Swamp, Kauai, Hawaii, tissue water relations of [abstr.], 357–358
- Bourneotrochus veroni* sp. nov., 205–219
- Brain, development of auditory function in: a study of far-field evoked responses in newborn and adult chickens [abstr.], 364
- California
 new findings on the systematics, cytology, and reproductive strategies of *Porphyra* (Bangiaceae, Rhodophyta) in Hawaii and California [abstr.], 358
- Cephalopoda
Nautilus belauensis (Mollusca: Cephalopoda): a test of the vertical migration hypothesis using telemetry [abstr.], 88–89
 telemetric investigation of vertical migration of *Nautilus belauensis* in Palau, 183–188
- Chile
 reproductive cycle of the Pacific bonito, *Sarda chilensis* (Scombridae), from northern Chile, 228–231
- Chromosome comparisons in five species of Hawaiian *Drosophila*, metaphase [abstr.], 359
- Clonal diversity of the coral *Porites compressa* in Kaneohe Bay, Oahu, patchwork patchreefs [abstr.], 363–364
- Coelomycetes
 filamentous fungal populations of Hawaiian beaches, 232–248
- Columbia River
 see Washington (state)
- Crinozoa
 distribution and ecology of shallow-water crinoids at Enewetak Atoll, Marshall Islands, with an annotated checklist of their symbionts, 105–122
- Crustacea
 aloha also means goodbye: cryptogenic stomatopod in Hawaii, 298–311
 alternate male reproductive strategies in the giant Malaysian prawn, *Macrobrachium rosenbergii* [abstr.], 372–373
 influence of molt frequency and size composition on estimates of populations of the spiny lobster, *Panulirus marginatus* [abstr.], 91–92
 old and unreported collections of alpheid shrimp from the Zoologisches Museum, Berlin, principally from Melanesia, 34–50
 opening of bivalves by a nonchelate crustacean predator, [abstr.], 366–367

* Biological organisms are indexed under their respective classes.

- redescription of *Periclimenes yaldwyni* Holthuis (*Brachycarpus audouini* Bate, 1888, Crustacea, Decapoda, Palaemonidae) and its occurrence in Australian waters, 189–198
- setagenesis as a molt-staging technique in the slipper lobster, *Scyllarides squammosus* (Milne Edwards) [abstr.], 91
- sugar transport by lobster hepatopancreatic brush border membrane vesicles from whole tissue and isolated absorptive cells [abstr.], 360
- supply of empty shells and the population structure of the hermit crab *Calcinus seurati* [abstr.], 364–365
- Echinoidea
- expression of a SRC-homologous gene during embryogenesis of the Hawaiian sea urchin *Tripneustes gratilla* [abstr.], 370–371
- Embayments, picoplankton growth rates in subtropical Hawaiian, 134–140
- Embryogenesis of the Hawaiian sea urchin *Tripneustes gratilla*, expression of a SRC-homologous gene during [abstr.], 370–371
- Endemic species, extinction of by a program of biological control, 97–104
- Endotoxin protection from oxygen toxicity, a role for phagocytes in [abstr.], 87–88
- Enewetak Atoll
see Marshall Islands
- Extinction of endemic species by a program of biological control, 97–104
- Gastropoda
- extinction of endemic species by a program of biological control, 97–104
 - possible effects of intraspecific competition upon the population structure of a solitary vermetid mollusk [abstr.], 92–93
 - statoliths as age indicators in gastropod larvae: application to measurement of field growth rates [abstr.], 357
- Hawaii (island of)
see Hawaiian Islands
- Hawaiian Islands
- aloha also means goodbye: a cryptogenic stomatopod in Hawaii, 298–311
 - contribution to the trophic biology of the blue marlin (*Makaira nigricans* Lacépède, 1802) in Hawaii, 141–149
 - distribution and abundance of coral-feeding butterflyfishes at Puako, Hawaii [abstr.], 90
 - effects of reef isolation and habitat structure on the fish communities of small artificial reefs [abstr.], 94
 - effects of selective predation on growth and competitive interactions between two corals, *Montipora verrucosa* and *Porites compressa*, in Kaneohe Bay, Oahu [abstr.], 359–360
 - expression of a SRC-homologous gene during embryogenesis of the Hawaiian sea urchin *Tripneustes gratilla* [abstr.], 370–371
 - filamentous fungal populations of Hawaiian beaches, 232–248
 - freshwater bryozoan, *Hyalinella vaihiraie* Hastings (1929), from Hawaiian prawn ponds, 199–204
 - growth and defoliation of koa trees infested by the koa moth, *Scotorythra paludicola* (Lepidoptera: Geometridae), 333–339
 - Hawaii's alectoroid lichens, 248–252
 - metaphase chromosome comparisons in five species of Hawaiian *Drosophila* [abstr.], 359
 - mucus production by corals exposed during an extreme low tide, 1–11
 - new findings on the systematics, cytology, and reproductive strategies of *Porphyra* (Bangiaceae, Rhodophyta) in Hawaii and California [abstr.], 358
 - new species of serranid fish of the genus *Anthias* from the Hawaiian Islands and Johnston Island, 220–227
 - note on the occurrence of the gold spot herring, *Herklotsichthys quadrimacularus* (Rüppell) in Hawaii, 123–126
 - novelties in Lipochaeta (Compositae). Hawaiian Plant Studies 119, 253–282
 - pair bond formation and monogamy in two species of Hawaiian butterflyfishes (Fam. Chaetodontidae) [abstr.], 363
 - patchwork patchreefs: clonal diversity of the coral *Porites compressa* in Kaneohe Bay, Oahu [abstr.], 363–364
 - Peleophycus multiprocarpium* gen. et sp. nov. (Gloiosiphoniaceae, Rhodophyta), 324–332
 - picoplankton growth rates in subtropical Hawaiian embayments, 134–140
 - preliminary observations concerning the abundance and distribution of planktonic coral larvae in Kaneohe Bay, Oahu [abstr.], 362
 - prey capture in *Lyonsiella formosa* (Bivalvia: Anomalodesmata: Verticordiacea), 283–297
 - productivity of the seagrass *Halophila hawaiiiana* [abstr.], 362
 - reproduction in *Galaxaura* (Rhodophyta) [abstr.], 367
 - seasonal contrasts in the social behavior of the North Pacific humpback whale [abstr.], 356
 - some preliminary observations on coral recruitment in Kaneohe Bay, Oahu [abstr.], 361
 - Sporochnus dotyi* sp. nov. (Sporochnales, Phaeophyta), a brown alga from Hawaii, 177–181
 - stripping of *Acacia koa* bark by rats on Hawaii and Maui, 80–86
 - supply of empty shells and the population structure of the hermit crab *Calcinus seurati* [abstr.], 364–365
 - taxonomic survey of microscopic freshwater algae in Hawaii: a report on some common species [abstr.], 371–372
 - tissue water relations of bog and rainforest plants of Alakai Swamp, Kauai, Hawaii [abstr.], 357–358
- Hawaiian Islands, Northwestern
- experimental study of the effects of piscivorous predators on reef fish recruitment, survival, and community structure [abstr.], 92
 - food habits of piscivorous coral reef fishes from the Northwestern Hawaiian Islands [abstr.], 369–370
 - metabolic rate of Laysan albatross and Bonin petrel chicks on Midway Atoll, 170–176

- HeLa cells, the isolation and preliminary characterization of canavanine resistant mutants of [abstr.], 88
- Hypomycetes
filamentous fungal populations of Hawaiian beaches, 232–248
- Illinois
intervention analysis of power plant impact on fish populations [abstr.], 367–368
- Indonesia
redescription of the pufferfish *Torquigener brevipinnis* (Regan) (Tetraodontiformes: Tetraodontidae), with description of a new species of *Torquigener* from Indonesia, 127–133
- Indo-Pacific Ocean
new species of serranid fish of the genus *Anthias* from the Hawaiian Islands and Johnston Island, 220–227
reef corals *Lithactinia* and *Polyphyllia* (Anthozoa, Scleractinia, Fungiidae): a study of morphological, geographical, and statistical differences, 12–27
- Insecta
growth and reforestation of koa trees infested by the koa moth, *Scotorythra paludicola* (Lepidoptera: Geometridae), 333–339
metaphase chromosome comparisons in five species of Hawaiian *Drosophila* [abstr.], 359
Intervention analysis of power plant impact on fish populations [abstr.], 367–368
- Johnston Island
see Indo-Pacific Ocean
- Kaneohe Bay
see Hawaiian Islands
- Kauai
see Hawaiian Islands
- Key
Hawaii's alectoroid lichens, 248–252
Sporochnus dotyi sp. nov. (Sporochnales, Phaeophyta), a brown alga from Hawaii, 177–181
- Lichenes
Hawaii's alectoroid lichens, 249–252
Lipochaeta Christophersenii sp. nov., 253–282
Lipochaeta elliptica sp. nov., 253–282
Lipochaeta Garberi sp. nov., 253–282
Lipochaeta kaenaensis sp. nov., 253–282
Lipochaeta mauiensis sp. nov., 253–282
Lipochaeta molokiniensis sp. nov., 253–282
Lipochaeta nesophila sp. nov., 253–282
Lipochaeta pinnatifida sp. nov., 253–282
Lipochaeta robusta sp. nov., 253–282
Lipochaeta setosa sp. nov., 253–282
Lipochaeta vittata sp. nov., 253–282
Lipochaeta Warshaueri sp. nov., 253–282
- Loculpsacomycetes
filamentous fungal populations of Hawaiian beaches, 232–248
- Magnetoreceptor organelles in the yellowfin tuna, *Thunnus albacares*, single domain magnetite crystals and their possible arrangement in [abstr.], 93–94
- Magnoliopsida
growth and reforestation of koa trees infested by the koa moth, *Scotorythra paludicola* (Lepidoptera: Geometridae), 333–339
novelties in Lipochaeta (Compositae). Hawaiian Plant Studies 119, 253–282
productivity of the seagrass *Halophila hawaiiiana*, [abstr.], 362
stripping of *Acacia koa* bark by rats on Hawaii and Maui, 80–86
tissue water relations of bog and rainforest plants of Alakai Swamp, Kauai, Hawaii [abstr.], 357–358
- Mammalia
pH-dependence of motility and the acrosome reaction of guinea pig spermatozoa [abstr.], 368–369
seasonal contrasts in the social behavior of the North Pacific humpback whale [abstr.], 356
stripping of *Acacia koa* bark by rats on Hawaii and Maui, 80–86
- Marshall Islands
concentrations of ^{207}Bi and ^{210}Pb - ^{210}Bi - ^{210}Po disequilibrium in fish, 350–355
distribution and ecology of shallow water crinoids at Enewetak Atoll, Marshall Islands, with an annotated checklist of their symbionts, 105–122
- Maui
see Hawaiian Islands
- Melanesia
old and unreported collections of alpheid shrimp from the Zoologisches Museum, Berlin, principally from Melanesia, 34–50
- Metabolic rate of Laysan albatross and Bonin petrel chicks on Midway Atoll, 170–176
- Midway Atoll
see Hawaiian Islands, Northwestern
- Monoclonal enzyme-linked assay, detection of in situ hybrids by [abstr.], 89–90
- Monogamy in two species of Hawaiian butterflyfishes (Fam. Chaetodontidae), pair bond formation and [abstr.], 363
- Moorea
see Polynesia, French
- Motility and the acrosome reaction of guinea pig spermatozoa, pH-dependence of [abstr.], 368–369
- Mount St. Helens
see Washington (state)
- Mucus production by corals exposed during an extreme low tide, 1–11
- Mutants of HeLa cells, the isolation and preliminary characterization of canavanine resistant [abstr.], 88
- New Species
Anthias fucinus (Pisces), 220–227
Bourneotrochus veroni (Anthozoa), 205–219
Lipochaeta Christophersenii (Magnoliopsida), 253–282
Lipochaeta elliptica (Magnoliopsida), 253–282
Lipochaeta Garberi (Magnoliopsida), 253–282
Lipochaeta kaenaensis (Magnoliopsida), 253–282
Lipochaeta mauiensis (Magnoliopsida), 253–282
Lipochaeta molokiniensis (Magnoliopsida), 253–282
Lipochaeta nesophila (Magnoliopsida), 253–282
Lipochaeta pinnatifida (Magnoliopsida), 253–282

- Lipochaeta robusta* (Magnoliopsida), 253–282
Lipochaeta setosa (Magnoliopsida), 253–282
Lipochaeta vittata (Magnoliopsida), 253–282
Lipochaeta Warshaueri (Magnoliopsida), 253–282
Peleophycus multiprocarpium (Rhodophyceae), 324–332
Porphyra spp. (Rhodophyceae) [abstr.], 358
Sporochnus dotyi (Phaeosporae), 177–181
Torquigener gloerfelti (Pisces), 127–133
- Oahu
 see Hawaiian Islands
- Okinawa
 changes in structure of coral reef fish communities by destruction of hermatypic corals: observational and experimental views, 51–79
- Oregon
 brief description of a subtidal sabellariid (Polychaeta) reef on the southern Oregon coast, 28–33
- Oxygen toxicity, a role for phagocytes in endotoxin protection from [abstr.], 87–88
- Pacific Proving Grounds
 see Marshall Islands
- Pair bond formation and monogamy in two species of Hawaiian butterflyfishes (Fam. Chaetodontidae) [abstr.], 363
- Palau
Nautilus belauensis (Mollusca: Cephalopoda): a test of the vertical migration hypothesis using telemetry [abstr.], 88–89
 telemetric investigation of vertical migration of *Nautilus belauensis* in Palau, 183–188
Peleophycus multiprocarpium sp. nov., 324–332
 Phaeophyceae
Sporochnus dotyi sp. nov. (Sporochnales, Phaeophyta), a brown alga from Hawaii, 177–181
- Phagocytes in endotoxin protection from oxygen toxicity, a role for [abstr.], 87–88
- Phylactolaemata
 a freshwater bryozoan, *Hyalinella vaihiraiae* Hastings (1929), from Hawaiian prawn ponds, 199–204
- Picoplankton growth rates in subtropical Hawaiian embayments, 134–140
- Pisces
 changes in structure of coral reef fish communities by destruction of hermatypic corals: observational and experimental views, 59–71
 concentrations of ^{207}Bi and ^{210}Pb - ^{210}Bi - ^{210}Po disequilibrium in fish, 350–355
 contribution to the trophic biology of the blue marlin (*Makaira nigricans* Lacépède, 1802) in Hawaii, 141–149
 distribution and abundance of coral-feeding butterflyfishes at Puako, Hawaii [abstr.], 90
 effects of reef isolation and habitat structure on the fish communities of small artificial reefs [abstr.], 94
 evidence for sex change and data on spawning frequency from the gonads of a pomacanthid fish [abstr.], 365–366
 experimental study of the effects of piscivorous predators on reef fish recruitment, survival, and community structure [abstr.], 92
 food habits of piscivorous coral reef fishes from the Northwestern Hawaiian Islands [abstr.], 369–370
 intervention analysis of power plant impact on fish populations [abstr.], 367–368
 new species of serranid fish of the genus *Anthias* from the Hawaiian Islands and Johnston Island, 220–227
 note on the occurrence of the gold spot herring, *Herklotsichthys quadrimaculatus* (Rüppell) in Hawaii, 123–126
 pair bond formation and monogamy in two species of Hawaiian butterflyfishes (Fam. Chaetodontidae) [abstr.], 363
- Pisces
 redescription of the pufferfish *Torquigener brevipinnis* (Regan) (Tetraodontiformes: Tetraodontidae), with description of a new species of *Torquigener* from Indonesia, 127–133
 reproductive cycle of the Pacific bonito, *Sarda chilensis* (Scombridae), from northern Chile, 228–231
 single domain magnetite crystals and their possible arrangement in magnetoreceptor organelles in the yellowfin tuna, *Thunnus albacares* [abstr.], 93–94
 some aspects of the early life history of mahimahi (*Coryphaena hippurus*) reared in the laboratory [abstr.], 89
 structure, function, and ecology in the goatfishes (Family Mullidae), 312–323
- Plectomycetes
 filamentous fungal populations of Hawaiian beaches, 232–248
- Polychaeta
 a brief description of a subtidal sabellariid (Polychaeta) reef on the southern Oregon coast, 28–33
- Polynesia, French
 extinction of endemic species by a program of biological control, 97–104
- Porphyra* spp. nov. [abstr.], 358
- Power plant impact on fish populations, intervention analysis of [abstr.], 367–368
- Prawn ponds, a freshwater bryozoan, *Hyalinella vaihiraiae* Hastings (1929), from Hawaiian, 199–204
- Predation, the effects of selective, on growth and competitive interactions between two corals, *Montipora verrucosa* and *Porites compressa*, in Kaneohe Bay, Oahu [abstr.], 359–360
- Prey capture in *Lyonsiella formosa* (Bivalvia: Anomalodesmata: Verticordiacea), 283–297
- Productivity of the seagrass *Halophila hawaiiiana* [abstr.], 362
- Pyrenomycetes
 filamentous fungal populations of Hawaiian beaches, 232–248
- Rainforest plants of Alakai Swamp, Kauai, Hawaii, tissue water relations of bog and [abstr.], 357–358
- Reefs
 brief description of a subtidal sabellariid (Polychaeta) reef on the southern Oregon coast, 28–33
 effects of reef isolation and habitat structure on the fish communities of small artificial reefs [abstr.], 94
 patchwork patchreefs: clonal diversity of the coral

- Porites compressa* in Kaneohe Bay, Oahu [abstr.], 363–364
- Refoliation of koa trees infested by the koa moth, *Scoto-rythra paludicola* (Lepidoptera: Geometridae), growth and, 333–339
- Reproductive cycle of the Pacific bonito, *Sarda chilensis* (Scombridae), from northern Chile, 228–231
- Reproductive strategies in the giant Malaysian prawn, *Macrobrachium rosenbergii*, alternate male [abstr.], 372–373
- Rhodophyceae
 new findings on the systematics, cytology, and reproductive strategies of *Porphyr*a (Bangiaceae, Rhodophyta) in Hawaii and California [abstr.], 358
Peleophycus multiprocarpium gen. et sp. nov. (Gloiosiphoniaceae, Rhodophyta), 324–332
 reproduction in *Galaxaura* (Rhodophyta) [abstr.], 367
- Samoa, American
 bird specimens from American Samoa, 150–169
- Sex change and data on spawning frequency from the gonads of a pomacanthid fish, evidence for [abstr.], 365–366
- Social behavior of the North Pacific humpback whale, seasonal contrasts in [abstr.], 356
- Spawning frequency, data on, from the gonads of a pomacanthid fish, evidence for sex change and [abstr.], 365–366
- Sporochnus dotyi* sp. nov., 177–181
- Sugar transport by lobster hepatopancreatic brush border membrane vesicles from whole tissue and isolated absorptive cells [abstr.], 360
- Telemetric investigation of vertical migration of *Nautilus belauensis* in Palau, 183–188
- Telemetry, a test of the vertical migration hypothesis [in *Nautilus belauensis* (Mollusca: Cephalopoda): using [abstr.], 88–89
- Tester Memorial Symposium, eighth annual Albert L., abstracts of papers, 87–94
- Tester Memorial Symposium, ninth annual Albert L., abstracts of papers, 356–373
- Tissue water relations of bog and rainforest plants of Alakai Swamp, Kauai, Hawaii [abstr.], 357–358
- Torquigener gloerfelti* sp. nov., 127–133
- Trace metals in the Columbia River Estuary following the 18 May 1980 eruption of Mount St. Helens, 340–349
- Trophic biology of the blue marlin (*Makaira nigricans* Lacépède, 1802) in Hawaii, a contribution to the, 141–149
- Vanuatu
 notes on Indo-Pacific scleractinian corals. Part 10. Late Pleistocene ahermatypic corals from Vanuatu, 205–219
- Virgin Islands (U.S.)
 evidence for sex change and data on spawning frequency from the gonads of a pomacanthid fish [abstr.], 365–366
- Washington (state)
 trace metals in the Columbia River Estuary following the 18 May 1980 eruption of Mount St. Helens, 340–349
- Zygomycetes
 filamentous fungal populations of Hawaiian beaches, 232–248