

**In Memoriam:**  
**From cotton farming to the Congressional Gold Medal:**  
**the career and legacy of Ernest James Harris (1928-2018)**

Luc Leblanc <sup>1</sup> and Roger I. Vargas <sup>2+</sup>

<sup>1</sup> Department of Entomology, Plant Pathology and Nematology, University of Idaho, 875  
Perimeter Drive MS 2329, Moscow, ID 83844-2329, USA

<sup>2</sup> USDA ARS, US Pacific Basin Agricultural Research Center, 64 Nowelo St., Hilo, HI  
96720, USA (until July 10, 2018)

**Supplementary online material: List of publications**  
**by Ernest James Harris**

- Steiner, L.F., E.J. Harris, W.C. Mitchell, M.S. Fujimoto, and L.D. Christenson.** 1965. Melon fly eradication by overflooding with sterile flies. *Econ. Entomol.* 58: 519-522.
- Steiner, L.F., W.C. Mitchell, E.J. Harris, T.T. Kozuma, and M.S. Fujimoto.** 1965. Oriental fruit fly eradication by male annihilation. *J. Econ. Entomol.* 58: 961-964.
- Hart, W.G., M.S. Fujimoto, D. Lamakahi, and E.J. Harris.** 1967. Attraction of melon flies to lures on foliage or cane fibers at various heights. *J. Econ. Entomol.* 60: 1139-1142.
- Harris, E.J., W.C. Mitchell, A.H. Baumhover, and L.F. Steiner.** 1968. Mutilation and survival of sterile Oriental fruit flies and melon flies emerging in drop boxes. *J. Econ. Entomol.* 61: 493-496.
- Steiner, L.F., V.G. Hart, E.J. Harris, R.T. Cunningham, K. Ohinata, and D.C. Kamakahi.** 1970. Eradication of the Oriental fruit fly from the Mariana Islands by the methods of male annihilation and sterile insect Release. *J. Econ. Entomol.* 63: 131-135.
- Harris, E.J., D.L. Chambers, L.F. Steiner, D.C. Kamakahi, and M. Komura.** 1971. Mortality of tephritids attracted to guava foliage treated with either malathion or naled plus protein-hydrolysate bait. *J. Econ. Entomol.* 64: 1213-1216.
- Harris, E.J., S. Nakagawa, and T. Urago.** 1971. Sticky traps for detection and survey of three Tephritids. *J. Econ. Entomol.* 64: 62-65.
- Keiser, I., R.M. Kobayashi, D.H. Miyashita, M. Jacobson, E.J. Harris, and D.L. Chambers.** 1973. Trans-6-nonen-1-ol acetate: an ovipositional attractant and stimulant of the melon fly. *J. Econ. Entomol.* 66: 1355-1356.
- Schroeder, W.J., R.Y. Miyabara, and E.J. Harris.** 1973. A disposable cage for the Mediterranean fruit fly. *J. Econ. Entomol.* 66: 1342.
- Keiser, I., R.M. Kobayashi, D.H. Miyashita, E.J. Harris, and D.L. Chambers.** 1974. Comparative volatilization of three lures for male tephritids in Hawaii:

- methyl eugenol (oriental fruit fly), cue-lure (melon fly), and trimedlure (Mediterranean fruit fly). *Environmental Letters*. 7: 47-52.
- Keiser, I., R.M. Kobayashi, D.H. Miyashita, E.J. Harris, E.L. Schneider, and D.L. Chambers.** 1974. Suppression of Mediterranean fruit flies by Oriental fruit flies in mixed infestations in guava. *J. Econ. Entomol.* 67: 355-360.
- Keiser, D.H. Miyashita, E.L. Schneider, E.J. Harris, and D.L. Chambers.** 1974. Survival of Oriental fruit flies, melon flies, and Mediterranean fruit flies after immersion in alcohol or acetone as larvae. *J. Econ. Entomol.* 67: 303-304.
- Seo, B. K.S. Hu, M. Komura, C.Y.L. Lee, and E.J. Harris.** 1974. *Dacus dorsalis*: vapor heat treatment in papayas. *J. Econ. Entomol.* 67: 240-242.
- Anwar, M., N. Chatha, K. Ohinata, and E.J. Harris.** 1975. Gamma irradiation of the melon fly: Laboratory studies of the sexual competitiveness of flies treated as pupae 2 days before eclosion or as 2-day-old adults. *J. Econ. Entomol.* 68: 733-735.
- Ashraf, M., N. Chatha, K. Ohinata, and E.J. Harris.** 1975. Melon flies: dosage-response and sexual competitiveness after treatment with gamma irradiation in a nitrogen atmosphere. *J. Econ. Entomol.* 68: 838-840.
- Cheikh, M., J.F. Howell, E.J. Harris, H. Ben Salah, and F. Soria.** 1975. Suppression of the Mediterranean fruit fly in Tunisia with released sterile insects. *J. Econ. Entomol.* 68: 237-243.
- Harris, E.J.** 1975. The sterile-insect technique for the control of fruit flies. A survey. Pp. 3-8 *In*: IAEA (Ed.) *Controlling Fruit Flies by the Sterile-Insect Technique*. Proceedings of a panel and research co-ordinating meeting on the sterile-male technique for controlling fruit flies organized by the joint FAO/IAEA Division of Atomic Energy in Food and Agriculture held in Vienna, 12-16 November 1973.
- Howell, J.F., M. Cheikh, and E.J. Harris.** 1975. Comparison of the efficiency of three traps for the Mediterranean fruit fly baited with minimum amounts of trimedlure. *J. Econ. Entomol.* 68: 277-279.
- Howel, J.F., M. Cheikh, E.J. Harris, H. Ben Salah, S. Allaya, and P. Crnjanski.** 1975. Mediterranean fruit fly: control in Tunisia by strip treatment with a bait spray of technical malathion and protein-hydrolyzate. *J. Econ. Entomol.* 68: 247-249.
- Keiser, I., E.J. Harris, K.H. Miyashita, M. Jacobson, and R.E. Perdue Jr.** 1975. Attraction of ethyl ether extracts of 232 botanicals to oriental fruit flies, melon flies, and Mediterranean fruit flies. *Lloydia*. 38: 141-152.
- Keiser, I., R.H. Kobayashi, and E.J. Harris.** 1975. Enhanced duration of residual effectiveness against the Mediterranean fruit fly of guava foliage treated with encapsulated insecticides and lures. Pp. 264-276 *In*: *Proceedings of the 1975 International Controlled Release Pesticide Symposium*. Wright State Univ., Dayton, Ohio. 406 pp.
- Nakagawa, S., D.L. Chambers, T.I. Bradshaw, T. Urago, and E.J. Harris.** 1975. Performance of a sticky trap with Trimedlure impregnated in the adhesive material. *J. Econ. Entomol.* 68: 817-818.
- Nakagawa, S., D. Suda, T. Urago, and E.J. Harris.** 1975. Gallon plastic tub: a substitute for the McPhail trap. *J. Econ. Entomol.* 68: 405-406.

- Ashraf, M., I. Keiser, and E.J. Harris.** 1976. Sterilization of melon flies: Mating competitiveness after treatment with tepa or gamma irradiation and ratios of treated to untreated flies producing population suppression. *J. Environ. Sci. and Health Part A.* 11: 11-17.
- Ashraf, M., I. Keiser, and E.J. Harris.** 1976. Sexual sterilization of oriental fruit flies and Mediterranean fruit flies by thiotepa: Dosage-response, mating competitiveness, and resistance to deprivation of food and water. *J. Environ. Sci. and Health Part A.* 11: 469-479.
- Ashraf, M., K. Ohinata, and E.J. Harris.** 1976. Gamma irradiation of the melon fly: laboratory studies of the sterility and sexual competitiveness of treated adults. *Ann. Entomol. Soc. Amer.* 69: 574-576.
- Jacobson, M., I. Keiser, E.J. Harris, and D.H. Miyashita.** 1976. Impurities in cue-lure attractive to female Tephritidae. *Journal of Agricultural and Food Chemistry.* 24: 782-783.
- Jacobson, M., I. Keiser, D.H. Miyashita, and E.J. Harris.** 1976. Indian calamus root oil: attractiveness of the constituents to Oriental fruit flies, melon flies, and Mediterranean fruit flies. *Lloydia.* 39: 412-415.
- Keiser, I., M. Jacobson, S. Nakagawa, D.H. Miyashita, and E.J. Harris.** 1976. Mediterranean fruit fly: Attraction of females to acetic acid and acetic anhydride, to two chemical intermediates in the manufacture of cue-lure, and to decaying Hawaiian tephritids. *J. Econ. Entomol.* 69: 517-520.
- Keiser, I., R.M. Kobayashi, and E.J. Harris.** 1976. A. Enhanced duration of residual effectiveness against the Oriental fruit fly of guava foliage treated with encapsulated insecticides and encapsulated methyl eugenol. B. Controlled release of trimedlure in Mediterranean fruit fly survey and detection traps with the addition of perfume fixatives. Pp. 3.1-3.8 *In:* N.F. Cardarelli (Ed.) *Proceedings of the Controlled Release Pesticide Symposium.* The University of Akron, Akron. 1976.
- Harris, E.J.** 1977. The threat of the Mediterranean fruit fly to American agriculture and efforts being made to counter this threat. *Proc. Hawaiian Entomol. Soc.* 22: 475-480.
- Mitchell, W.C., C.O. Andrew, K.S. Hagen, R.A. Hamilton, E.J. Harris, K.L. Maehler, and R.H. Rhode.** 1977. The Mediterranean Fruit Fly and its Economic Impact on Central American Countries and Panama. A Multidisciplinary Study Team Report. UC/AID Pest Management and Related Environmental Protection Project. University of California Berkeley, California. 189pp.
- Ohinata, K., M. Ashraf, and E.J. Harris.** 1977. Mediterranean fruit flies: Sterility and sexual competitiveness in the laboratory after treatment with gamma irradiation in air, carbon dioxide, helium, nitrogen or partial vacuum. *J. Econ. Entomol.* 70: 165-168.
- Ashraf, M., N. Tanaka, and E.J. Harris.** 1978. Rearing of Oriental fruit flies: a need for wheat germ in larval diet containing bagasse, a non-nutritive bulking agent. *J. Econ. Entomol.* 71: 674-676.
- Harris, E.J.** 1978. Program evaluation using ratio tests and recovery data. Pp. 20-21. *In:* E.F. Boiler and D.L. Chambers (Eds.) *Quality Control. An Idea Book for Fruit Fly Workers.* IOBC, SRP, WPRS. 162 pp.

- Keiser, I., M. Ashraf, E.J. Harris, and J.A. Silva.** 1978. Species-specific enhancement of oviposition of female oriental fruit flies, melon flies, and Mediterranean fruit flies when mated with normal males or with males sexually sterilized by tepa or gamma irradiation. *J. Environ. Sci. & Health Part A.* 13: 733-749.
- Keiser, I., R.Y. Miyabara, J.A. Silva, and E.J. Harris.** 1978. Enhanced duration of effectiveness of trimedlure as an attractant to male Mediterranean fruit flies under field conditions in Hawaii by the inclusion of the perfume fixative Phantolid. Pp. 5.40-5.48 *In:* E. Brinkman and J. Montemavano (Eds.) 5<sup>th</sup> International Symposium on Controlled Release of Bioactive Materials. Gaithersburg, MD.
- Nakagawa, S., R.J. Prokopy, T.T. Wong, J.R. Ziegler, S.M. Mitchell, T. Urago, and E.J. Harris.** 1978. Visual orientation of *Ceratitis capitata* flies to fruit models. *Entomol. Exper. Appl.* 24: 193-198.
- Nakagawa, S., T. Urago, and E.J. Harris.** 1978. Plastic dog-flea collar strips used in traps to kill Mediterranean fruit fly in Hawaii. *J. Econ. Entomol.* 71: 339-340.
- Ohinata, K., M. Fujimoto, H. Higa, N. Tanaka, and E.J. Harris.** 1978. Mediterranean fruit fly: Gamma-irradiation in nitrogen and packaging for sterile-insect release program in Los Angeles. *J. Econ. Entomol.* 71: 610-612.
- Havens, C., B.K.S. Hsu, G.J. Farias, S.T. Seo, and E.J. Harris.** 1979. *Dacus dorsalis*: Fumigation of papayas with ethylene dibromide. *J. Econ. Entomol.* 72: 4-5.
- Seo, S.T., D.L. Chambers, E.K. Akamine, E.J. Harris, C.Y.L. Lee, and M. Komura.** 1979. Oriental fruit fly: Factors affecting ethylene dibromide fumigation of infested papaya. *J. Econ. Entomol.* 72: 350-353.
- Nakagawa, S., E.J. Harris, and T. Urago.** 1979. Controlled release of trimedlure from a three-layer laminated plastic dispenser. *J. Econ. Entomol.* 72: 625-627.
- Cunningham, R.T., W. Routhier, E.J. Harris, G. Cunningham, L. Johnson, W. Edwards, R. Rosander, and W.G. Vettel.** 1980. Eradication of Medfly by sterile-male release. *Citrograph.* January 1980 issue. Pp. 63-69.
- Hafraoui, A., E.J. Harris, and A. Chakir.** 1980. Plastic traps for detection and survey of the Mediterranean fruit fly, *Ceratitis capitata* (Diptera: Tephritidae) in Morocco. *Proc. Hawaiian Entomol. Soc.* 23: 199-203.
- Harris, E.J.** 1980. Aspects of current fruit fly control projects. Pp. 65-66 *In:* Proceedings of a Symposium on Fruit Fly Problems. Kyoto and Naha, August 9-12, 1980. National Institute of Agricultural Sciences. Yatabe, Ibaraki 305, Japan.
- Harris, E.J., A. Hafraoui, and B. Toulouti.** 1980. Mortality of nontarget insects by poison bait applied to control the Mediterranean fruit fly, *Ceratitis capitata* (Diptera: Tephritidae), in Morocco. *Proc. Hawaiian Entomol. Soc.* 23: 227-229.
- Nishida, T., E.J. Harris, and R.I. Vargas.** 1980. Life system components in relation to fruit fly eradication strategies in Hawaii Pp. 133-142 *In:* Proceedings of a Symposium on Fruit Fly Problems. Kyoto and Naha, August 9-12, 1980. National Institute of Agricultural Sciences. Yatabe, Ibaraki 305, Japan.
- Harris, E.J.** 1981. Loren Franklin Steiner, 1904-1977. A biographical sketch. *Proc. Hawaiian Entomol. Soc.* 23: 359-369.

- Nakagawa, S., E.J. Harris, and I. Keiser.** 1981. Performance of Capilure® in capturing Mediterranean fruit flies in Steiner plastic or cardboard sticky traps. *J. Econ. Entomol.* 74: 244-245.
- Keiser, I., M. Ashraf, J.A. Silva, and E.J. Harris.** 1982. Species, age, and sex-specific susceptibility of Mediterranean fruit flies, oriental fruit flies, and melon flies to carbon dioxide. *J. Environ. Sci. & Health. Part A.* 17: 137-149.
- Seo, S.T., G.J. Farias, and E.J. Harris.** 1982. Oriental fruit fly: ripening of fruit and its effect on index of infestation of Hawaiian papayas. *J. Econ. Entomol.* 75: 173-178.
- Tanaka, N., A.L. Myers, M. Komura, H. Chang, and E.J. Harris.** 1982. Automated larval rearing system for tephritids. *J. Econ. Entomol.* 75: 517-519.
- Wong, T.T., L.C. Whitehand, R.M. Kobayashi, K. Ohinata, N. Tanaka, and E.J. Harris.** 1982. Mediterranean fruit fly: dispersal of wild and irradiated and untreated laboratory-reared males. *Environ. Entomol.* 11: 339-343.
- Harris, E.J., and R.Y. Okamoto.** 1983. Description and evaluation of a simple method for the collection of the parasite *Biosteres oophilus* (Hym: Braconidae). *Entomophaga.* 28: 241-243.
- Leppa, N.C., M.D. Huettel, D.L. Chambers, T.R. Ashley, D.M. Miyashita, T.T.Y. Wong, and E.J. Harris.** 1983. Strategies for colonization and maintenance of the Mediterranean fruit fly. *Entomol. Exper. Appl.* 33: 89-96.
- Vargas, R.L., E.J. Harris, and T. Nishida.** 1983. Distribution and seasonal occurrence of *Ceratitis capitata* (Wiedemann) (Diptera: Tephritidae) on the island of Kauai in the Hawaiian Islands. *Environ. Entomol.* 12: 303-310.
- Carey, J.R., D.O. McInnis, and E.J. Harris.** 1985. Demography of a native strain of the melon fly, *Dacus cucurbitae*, from Hawaii. *Entomol. Exper. Appl.* 38: 195-199.
- Nishida, T., E.J. Harris, R.I. Vargas, and T.T. Wong.** 1985. Distributional loci and host fruit utilization patterns of the Mediterranean fruit fly, *Ceratitis capitata* (Diptera: Tephritidae), in Hawaii. *Environ. Entomol.* 14: 602-606.
- Williamson, D.L., R.I. Vargas, and E.J. Harris.** 1985. Status of three pestiferous fruit fly (Diptera: Tephritidae) populations on Kauai following hurricane Iwa. *Proc. Hawaiian Entomol. Soc.* 25: 145-153.
- Harris, E.J., and C.Y. Lee.** 1986. Seasonal and annual occurrence of Mediterranean fruit flies (Diptera: Tephritidae) in Makaha and Waianae valleys, Oahu, Hawaii. *Environ. Entomol.* 15: 507-512.
- Harris, E.J., R.T. Cunningham, N. Tanaka, K. Ohinata, and W.J. Schroeder.** 1986. Development of the sterile-insect technique on the island of Lanai, Hawaii, for suppression of the Mediterranean fruit fly. *Proc. Hawaiian Entomol. Soc.* 26: 77-88.
- Harris, E.J., J.M. Takara, and T. Nishida.** 1986. Distribution of the melon fly, *Dacus cucurbitae* (Diptera: Tephritidae), and host plants on Kauai, Hawaiian Islands. *Environ. Entomol.* 15: 488-493.
- Khattak, S.U., N. Tanaka, and E.J. Harris.** 1986. Optimum sugar level in a wheat based larval diet for rearing of melon fly, *Dacus cucurbitae* (Coq.). *Pakistan J. Sci. Ind. Res.* 29: 461-463.

- Harris, E.J., and C.Y. Lee.** 1987. Seasonal and annual distribution of the Mediterranean fruit fly (Diptera: Tephritidae) in Honolulu and suburban areas of Oahu, Hawaii. *Environ. Entomol.* 16: 1273-1282.
- Harris, E.J.** 1989. Hawaiian Islands and North America. Pp. 73-81 *In:* Robinson, A.S. and G.H.S. Hooper (Eds.). *World Crop Pests, Fruit Flies, Their Biology, Natural Enemies and Control*, Vol. 3A. Elsevier Science Publishers, Amsterdam.
- Harris, E.J., and J.R. Carey.** 1989. Laboratory studies of the Mediterranean fruit fly (Diptera: Tephritidae) in coffee. *Environ. Entomol.* 18: 103-110.
- Harris, E.J., and C.Y. Lee.** 1989. Development of *Ceratitidis capitata* (Diptera: Tephritidae) in coffee in wet and dry habitats. *Environ. Entomol.* 18: 1042-1049.
- Harris, E.J., and C.Y. Lee.** 1989. Influence of bittermelon, *Momordica charantia* L. (Cucurbitaceae), on distribution of melon fly, *Dacus cucurbitae* Coquillet (Diptera: Tephritidae) on the island of Molokai, Hawaii. *Proc. Hawaiian Entomol. Soc.* 29: 49-56.
- Harris, E.J.** 1991. Response to exotic fruit fly introductions into the United States: A research perspective. Pp. 99-105 *In:* Exotic Pests in Africa Prevention and Control Symposium 9th Scientific Conference / AAIS 23-27 September 1991 Accra, Ghana.
- Harris, E.J., and R.Y. Okamoto.** 1991. A method for rearing *Biosteres arisanus* (Hymenoptera: Braconidae) in the laboratory. *J. Econ Entomol.* 84: 417-422.
- Harris, E.J., and G. Olalquiaga.** 1991. Occurrence and distribution patterns of Mediterranean fruit fly (Diptera: Tephritidae) in desert areas in Chile and Peru. *Environ. Entomol.* 20: 174-178.
- Harris, E.J., J.R. Carey, D.A. Krainacker, and C.Y. Lee.** 1991. Life history of *Ceratitidis capitata* (Diptera: Tephritidae) reared from mock orange in Hawaii. *Environ. Entomol.* 20: 1048-1052.
- Harris, E.J., R.Y. Okamoto, C.Y.L. Lee, and T. Nishida.** 1991. Suitability of *Dacus dorsalis* and *Ceratitidis capitata* (Diptera: Tephritidae) as hosts of *Biosteres arisanus* (Sonan). *Entomophaga.* 36: 425-430.
- Harris, E.J., and C.Y. Lee.** 1992. Comparison of two methods of rearing *Bactrocera dorsalis* (Hendel) and *Ceratitidis capitata* (Wiedemann) (Diptera: Tephritidae) from mock orange and coffee in the laboratory. *Proc. Hawaiian Entomol. Soc.* 31: 133-138.
- Harris, E.J.** 1993. Relationship between host plant fruiting phenology and *Ceratitidis capitata* distribution and abundance in Hawaii. Pp. 137-143 *In:* M. Aluja and P. Liedo (Eds.) *Fruit Flies: Biology and Management*. Springer-Verlag.
- Harris, E.J. and G. Olalquiaga.** 1993. Influence of habitat on *Ceratitidis capitata* response to trimedlure in Chile and in Hawaii. Pp. 217-221 *In:* M. Aluja and P. Liedo (Eds.) *Fruit Flies: Biology and Management*. Springer-Verlag.
- Harris, E.J., R.I. Vargas, and J.E. Gilmore.** 1993. Seasonality in occurrence and distribution of Mediterranean fruit fly (Diptera: Tephritidae) in upland and lowland areas on Kauai, Hawaii. *Environ. Entomol.* 22: 404-410.
- Harris, E.J., and R.C. Bautista.** 1994. Fruit trap: a detection and collection tool for opiine parasitoids (Hym.: Braconidae) of the oriental fruit fly, *Bactrocera dorsalis* (Dip.: Tephritidae). *Entomophaga.* 39: 341-349.

- Liquido, N.J., E.J. Harris, and L.A. Dekker.** 1994. Ecology of *Bactrocera latifrons* (Diptera: Tephritidae) populations: host plants, natural enemies, distribution, and abundance. *Ann. Entomol. Soc. Amer.* 87: 71-84.
- Bautista, R.C., and E.J. Harris.** 1996. Effect of fruit substrates on parasitization of tephritid fruit flies (Diptera) by the parasitoid *Biosteres arisanus* (Hymenoptera: Braconidae). *Environ. Entomol.* 25: 470-475.
- Harris, E.J., and R.C. Bautista.** 1996. Effects of fruit fly species and host egg to female parasitoid ratio on the laboratory rearing of *Biosteres arisanus*. *Entomol. Exper. Appl.* 79: 187-194.
- Bautista, R.C., and E.J. Harris.** 1997. Effect of insectary rearing on host preference and oviposition behavior of the fruit fly parasitoid *Diachasmimorpha longicaudata*. *Entomol. Exper. Appl.* 83: 213-218.
- Bautista, R.C., and E.J. Harris.** 1997. Effects of multiparasitism on the parasitization behavior and progeny development of oriental fruit fly parasitoids (Hymenoptera: Braconidae). *J. Econ. Entomol.* 90: 757-764.
- Bautista, R.C., E.J. Harris, and P.O. Lawrence.** 1998. Biology and rearing of the fruit fly parasitoid *Biosteres arisanus*: clues to insectary propagation. *Entomol. Exper. Appl.* 89: 79-85.
- Bautista, R.C., N. Mochizuki, J.P. Spencer, E.J. Harris, and D. Ishimura.** 1999. Mass-rearing of the tephritid fruit fly parasitoid, *Fopius arisanus* (Hymenoptera: Braconidae). *Biol. Control.* 15: 137-144.
- Harris, E.J., and R.C. Bautista.** 1999. Effect of multiparasitism on the parasitization behavior of insect parasitoids. Chapter 7 *In: O. Kouls and G.S. Dhaliwal (Eds.) Advances in Biopesticide Research, Volume 3: Predators and Parasitoids.* Taylor and Francis.
- Bautista, R.C., N. Mochizuki, J.P. Spencer, E.J. Harris, and D. Ichimura.** 2000. Effect of depth of oviposition dish and age of rearing host on efficiency of mass production of the tephritid fruit fly parasitoid *Psytalia fletcheri*. *BioControl.* 45: 389-399.
- Harris, E.J., R.C. Bautista, and J.P. Spencer.** 2000. Utilization of the egg-larval parasitoid, *Fopius (Biosteres) arisanus*, for augmentative biological control of tephritid fruit flies. Pp. 725-733 *In: Tan, K.H. (ed.) Area-Wide Control of Fruit Flies and Other Insect Pests. Joint Proceedings of the International Conference on Area-Wide Control of Insect Pests and the Fifth International Symposium on Fruit Flies of Economic Importance. Penang, Malaysia, 1998.*
- Lawrence, P.O., E.J. Harris, R.C. Bautista, and K.H. Tan.** 2000. Development and reproductive biology of the egg-pupal parasite, *Fopius arisanus* in *Anastrepha suspensa*, a new tephritid host. Pp. 739-748 *In: Tan, K.H. (ed.) Area-Wide Control of Fruit Flies and Other Insect Pests. Joint Proceedings of the International Conference on Area-Wide Control of Insect Pests and the Fifth International Symposium on Fruit Flies of Economic Importance. Penang, Malaysia, 1998.*
- Bautista, R.C., E.J. Harris, and R.I. Vargas.** 2001. The fruit fly parasitoid *Fopius arisanus*: reproductive attributes of pre-released females and the use of added sugar as a potential food supplement in the field. *Entomol. Exper. Appl.* 101: 247-255.

- Harris, E.J., and R.C. Bautista.** 2001. Implications of host mortality on the economics of *Fopius arisanus* (Hymenoptera: Braconidae) mass rearing. *BioControl*. 46: 275-287.
- Harris, E.J., N.J. Liquido, and J.P. Spencer.** 2001. Distribution and host utilization of *Bactrocera latifrons* (Diptera: Tephritidae) on the island of Kauai, Hawaii. *Proc. Hawaiian Entomol. Soc.* 35: 55-66.
- Harris, E.J., N.J. Liquido, and C.Y. Lee.** 2003. Patterns in appearance and fruit host utilization of fruit flies (Diptera: Tephritidae) on the Kalaupapa Peninsula, Molokai, Hawaii. *Proc. Hawaiian Entomol. Soc.* 36: 69-78.
- Bautista, R.C., E.J. Harris, R.I. Vargas, and E.B. Jang.** 2004. Parasitization of melon fly (Diptera: Tephritidae) by *Fopius arisanus* and *Psytalia fletcheri* (Hymenoptera: Braconidae) and the effect of fruit substrates on host preference by parasitoids. *Biol. Control*. 30: 156-164.
- Rocha, K.L., T. Mangine, E.J. Harris, and P.O. Lawrence.** 2004. Immature stages of *Fopius arisanus* (Hymenoptera: Braconidae) in *Bactrocera dorsalis* (Diptera: Tephritidae). *Florida Entomol.* 87: 164-168.
- Vargas, R.I., J. Long, N.W. Miller, K. Delate, C.J. Jackson, G.K. Uchida, R.C. Bautista, and E.J. Harris.** 2004. Releases of *Psytalia fletcheri* (Hymenoptera: Braconidae) and Sterile Flies to Suppress Melon Fly (Diptera: Tephritidae) in Hawaii. *J. Econ. Entomol.* 97: 1531-1539.
- Harris, E.J., T.E. Mangine, and G.K. Uchida.** 2006. Field discovery of a pearly eye melon fly, *Bactrocera cucurbitae* (Hendel) (Diptera: Tephritidae), mutant. *Proc. Hawaiian Entomol. Soc.* 38: 123-126.
- Harris, E.J., R.C. Bautista, R.I. Vargas, and E.B. Jang.** 2007. Rearing *Fopius arisanus* (Sonan) (Hymenoptera: Braconidae) in Mediterranean fruit fly (Diptera: Tephritidae). *Proc. Hawaiian Entomol. Soc.* 39: 121-126.
- Jang, E.B., G.T. McQuate, D.O. McInnis, E.J. Harris, R.I. Vargas, R.C. Bautista, and R.F. Mau.** 2008. Targeted trapping, bait-spray, sanitation, sterile-male, and parasitoid releases in an areawide integrated Melon Fly (Diptera: Tephritidae) control program in Hawaii. *Amer. Entomol.* 54: 240-250.
- Cancino, J., L. Ruiz, J. Perez, and E. Harris.** 2009. Irradiation of *Anastrepha ludens* (Diptera: Tephritidae) eggs for the rearing of the fruit fly parasitoids, *Fopius arisanus* and *Diachasmimorpha longicaudata* (Hymenoptera: Braconidae). *Biocontr. Sci. Technol.* 19(S1): 167-177.
- Harris, E.J., R.C. Bautista, R.I. Vargas, E.B. Jang, A. Eitam, and L. Leblanc.** 2010. Suppression of melon fly (Diptera: Tephritidae) populations with releases of *Fopius arisanus* and *Psytalia fletcheri* (Hymenoptera: Braconidae) in North Shore Oahu, HI, USA. *BioControl*. 55: 593-599.
- Vargas, R.I., J.C. Piñero, R.F.L. Mau, E.B. Jang, L.M. Klungness, D.O. McInnis, E.J. Harris, G.T. McQuate, R.C. Bautista, and L. Wong.** 2010. Area-wide suppression of the Mediterranean fruit fly, *Ceratitis capitata*, and the Oriental fruit fly, *Bactrocera dorsalis*, in Kamuela, Hawaii. *J. Insect Sci.* 10: Article 135.
- Vargas, R.I., L. Leblanc, E.J. Harris, and N.C. Manoukis.** 2012. Regional suppression of *Bactrocera* fruit flies (Diptera: Tephritidae) in the Pacific through biological control and prospects for future introductions into other areas of the world. *Insects*. 3: 727-742.



**Vargas, R.I., L. Leblanc, M. McKenney, B. Mackey, E.J. Harris, and K. Badji.** 2016.  
Rearing *Fopius arisanus* (Sonan) (Hymenoptera: Braconidae) on  
Mediterranean Fruit Fly and its Introduction into Senegal against Oriental  
Fruit Fly (Diptera: Tephritidae). Proc. Hawaiian Entomol. Soc. 48: 85-94.