

## Index to Volume 29

### Author Index

- BAILEY-BROCK, JULIE H.:  
see McLaughlin and Bailey-Brock
- BERGER, ANDREW J.:  
The Warbling Silverbill, a new nesting bird in Hawaii, 51-54
- BRYAN, PATRICK G.:  
Food habits, functional digestive morphology, and assimilation efficiency of the rabbitfish *Siganus spinus* (Pisces, Siganidae) on Guam, 269-277
- BURNETT, WILLIAM C.:  
Trace element geochemistry of biogenic sediments from the western equatorial Pacific, 219-225
- CANNON, L. R. G.:  
On the reproductive biology of *Cerithium moniliferum* Kiener (Gastropoda, Cerithiidae) at Heron Island, Great Barrier Reef, 353-359
- CASTLE, P. H. J.:  
Osteology and relationships of the eel *Diastobranchius capensis* (Pisces, Synbranchidae), 159-163
- CHOW, K. H., and L. V. CROWDER:  
Esterase isozyme patterns of some tropical and subtropical herbaceous legumes, 365-369
- COLES, STEPHEN L.:  
A comparison of effects of elevated temperature versus temperature fluctuations on reef corals at Kahe Point, Oahu, 15-18
- COULBOURN, WILLIAM T., and JOHANNA M. RESIG:  
On the use of benthic foraminifera as sediment tracers in a Hawaiian bay, 99-115
- CROWDER, L. V.:  
see Chow and Crowder
- DERKS, P. STEVE:  
see Rosato, Kulm, and Derks
- FELLOWS, DAVID P.:  
On the distribution of the Hawaiian ghost crab, *Ocyropsis laevis* Dana, 257-258
- FELTEN, HEINZ:  
see Wodzicki and Felten
- FISHER, HARVEY I.:  
Mortality and survival in the Laysan Albatross, *Diomedea immutabilis*, 279-300
- FRITZSCHE, RONALD A.:  
First description of the adult male of *Micrognathus brachyrrhinus* (Pisces, Syngnathidae), 267-268
- GORE, ROBERT H.:  
*Petrolisthes zaccae* Haig, 1968 (Crustacea, Decapoda, Porcellanidae): the development of larvae in the laboratory, 181-196
- GREEN, R. C., and HORACE G. RICHARDS:  
Lapita pottery and a lower sea level in Western Samoa, 309-315
- HASSAN, TJETJE S., H. IKAWA, and L. D. SWINDALE:  
The properties and genesis of four soils derived from basaltic ash, Mauna Loa, Hawaii, 301-308
- IKAWA, H.:  
see Hassan, Ikawa, and Swindale
- KAILOLA, PATRICIA J.:  
The rare moray eel *Gymnothorax pikei* Bliss recorded from Papua New Guinea, 165-170
- KRIDLER, E.:  
see Whittow, Szekeerczes, Kridler, and Olsen
- KULM, L. D.:  
see Rosato, Kulm, and Derks
- LEARY, DANIEL F., GARTH I. MURPHY, and MARILYN MILLER:  
Fecundity and length at first spawning of the Hawaiian anchovy, or nehu (*Stolephorus purpureus* Fowler) in Kaneohe Bay, Oahu, 171-180
- LINDGREN, ERIC:  
see Zug, Lindgren, and Pippet
- MCCOSKER, JOHN E.:  
The eel genus *Phaenomonas* (Pisces, Ophichthidae), 361-363
- MCLAUGHLIN, PATSY A., and JULIE H. BAILEY-BROCK:  
A new Hawaiian hermit crab of the genus *Trizopagurus* (Crustacea, Decapoda, Diogenidae), with notes on its behavior, 259-266
- MACLEAN, J. L.:  
Paralytic shellfish poison in various bivalves, Port Moresby, 1973, 349-352  
Red tide in the Morobe District of Papua New Guinea, 7-13  
see also Worth, Maclean, and Price.
- MILLER, BRUCE A.:  
The biology of *Terebra gouldi* Deshayes, 1859, and a discussion of life history similarities among other terebrids of similar proboscis type, 227-241
- MILLER, EDWARD H.:  
Annual cycle of fur seals, *Arctocephalus forsteri* (Lesson) on the Open Bay Islands, New Zealand, 139-152
- MILLER, MARILYN:  
see Leary, Murphy, and Miller
- MURPHY, GARTH I.:  
see Leary, Murphy, and Miller

- OLSEN, D. L.:  
see Whittow, Szekerczes, Kridler, and Olsen
- PIPPET, JOHN R.:  
see Zug, Lindgren, and Pippet
- POORE, GARY C. B.:  
Systematics and distribution of *Callianassa* (Crustacea, Decapoda, Macrura) from Port Phillip Bay, Australia, with descriptions of two new species, 197-209
- POULTER, J. L.:  
Hawaiian polyclad flatworms: prosthlostomids, 317-339
- PRICE, M. J.:  
see Worth, Maclean, and Price
- RESIG, JOHANNA M.:  
see Coulbourn and Resig
- RICHARDS, HORACE G.:  
see Green and Richards
- ROBINSON, BRUCE H.:  
Observations on living juvenile specimens of the slender mola, *Ranzania laevis* (Pisces, Molidae), 27-29
- ROE, PAMELA:  
Aspects of life history and of territorial behavior in young individuals of *Platynereis bicanaliculata* and *Nereis vexillosa* (Annelida, Polychaeta), 341-348
- ROSATO, VICTOR J., L. D. KULM, and P. STEVE DERKS:  
Surface sediments of the Nazca Plate, 117-130
- ST. JOHN, HAROLD:  
Revision of the genus *Pandanus* Stickman. Part 38, *Pandanus* in Fiji, first group (except section *Pandanus*), 55-77  
Revision of the genus *Pandanus* Stickman, Part 39, *Pandanus* of Rotuma Island, Pacific Ocean, 371-406
- SWINDALE, L. D.:  
see Hassan, Ikawa, and Swindale
- SZEKERCHES, J.:  
see Whittow, Szekerczes, Kridler, and Olsen
- VAN ROYAN, P.:  
Sertulum Papuanum 20. The Boraginaceae of the alpine regions of New Guinea, 79-98
- WHITTOW, G. C., J. SZEKERCHES, E. KRIDLER, and D. L. OLSEN:  
Skin structure of the Hawaiian monk seal (*Monachus schauinslandi*), 153-157
- WODZICKI, KAZIMIERZ, and HEINZ FELTEN:  
The peka, or fruit bat (*Pteropus tonganus tonganus*) (Mammalia, Chiroptera), of Niue Island, South Pacific, 131-138
- WORTH, G. K., J. L. MACLEAN, and M. J. PRICE:  
Paralytic shellfish poisoning in Papua New Guinea 1-5
- YOUNG, RICHARD E.:  
Function of the dimorphic eyes in the midwater squid *Histioteuthis dofleini*, 211-218  
*Leachia pacifica* (Cephalopoda, Teuthoidea): spawning habitat and function of the brachial photophores, 19-25  
Transitory eye shapes and the vertical distribution of two midwater squids, 243-255
- ZUG, GEORGE R., ERIC LINDGREN, and JOHN R. PIPPET:  
Distribution and ecology of the marine toad, *Bufo marinus* in Papua New Guinea, 31-50

### Subject Index\*

- Amphibia  
distribution and ecology of the marine toad, *Bufo marinus*, in Papua New Guinea, 31-50
- Angiospermae  
esterase isozyme patterns of some tropical and subtropical herbaceous legumes, 365-369  
revision of the genus *Pandanus* Stickman. Part 38, *Pandanus* in Fiji, first group (except section *Pandanus*), 55-77  
revision of the genus *Pandanus* Stickman, Part 39, *Pandanus* of Rotuma Island, Pacific Ocean, 371-406
- Anthozoa  
comparison of effects of elevated temperature versus temperature fluctuations on reef corals at Kahe Point, Oahu, 15-18
- Arctocephalus forsteri* (Lesson), annual cycle of, on the Open Bay Islands, New Zealand, 139-152
- \* Biological organisms are indexed under their respective classes.
- Aves  
mortality and survival in the Laysan Albatross, *Diomedea immutabilis*, 279-300  
the Warbling Silverbill, a new nesting bird in Hawaii, 51-54
- Australia  
on the reproductive biology of *Cerithium moniliferum* Kiener (Gastropoda, Cerithiidae) at Heron Island, Great Barrier Reef, 353-359.  
systematics and distribution of *Callianassa* (Crustacea Decapoda, Macrura) from Port Philip Bay, with descriptions of two new species, 197-209
- Basaltic ash, properties and genesis of four soils derived from, on Mauna Loa, Hawaii, 301-308
- Bivalvia  
paralytic shellfish poisoning in Papua New Guinea, 1972, 1-5  
paralytic shellfish poison in various bivalves, Port Moresby, 1973, 349-352

- red tide in the Morobe District of Papua New Guinea, 7-13
- Bufo marinus*, distribution and ecology of, in Papua New Guinea, 31-50
- Callianassa*, systematics and distribution of, from Port Phillip Bay, Australia, 197-209
- Callianassa arenosa*, new species, 197-209
- Callianassa limosa*, new species, 197-209
- Cephalopoda
- function of the dimorphic eyes in the midwater squid *Histioteuthis dofleini*, 211-218
  - Leachia pacifica* (Teuthoidea): spawning habitat and function of the brachial photophores, 19-25
  - transitory eye shapes and the vertical distribution of two midwater squids, 243-255
- Cerithium moniliferum* Kiener, on the reproductive biology of, at Heron Island, Great Barrier Reef, 353-359
- Crustacea
- a new Hawaiian hermit crab of the genus *Trizopagurus* (Decapoda, Diogenidae), with notes on its behavior, 259-266
  - on the distribution of the Hawaiian ghost crab, *Ocypode laevis* Dana, 257-258
  - Petrolisibes zaccae* Haig, 1968 (Decapoda, Porcellanidae), development of larvae of, in the laboratory, 181-196
  - systematics and distribution of *Callianassa* (Decapoda, Macrura) from Port Philip Bay, Australia, with descriptions of two new species, 197-209
- Danger Island. See Niue Island
- Diasirobranchus capensis*, osteology and relationships of, 159-163
- Digitati* sect. nov., 55-77
- Dinophyceae
- paralytic shellfish poisoning in Papua New Guinea, 1972, 1-5
  - paralytic shellfish poison in various bivalves, Port Moresby, 1973, 349-352
  - red tide in the Morobe District of Papua New Guinea, 7-13
- Diomedea immutabilis*, mortality and survival in, 279-300
- Fiji
- revision of the genus *Pandanus*. Part 38, *Pandanus* in, first group (except section *Pandanus*), 55-77
- Foraminifera
- on the use of, as sediment tracers in a Hawaiian bay, 99-115
  - trace element geochemistry of biogenic sediments from the western equatorial Pacific, 219-225
- Fur seals, annual cycle of, on the Open Bay Islands, New Zealand, 139-152
- Gastropoda
- biology of *Terebra gouldi* Deshayes, 1859, and a discussion of life history similarities among other terebrids of similar proboscis type, 227-241
  - on the reproductive biology of *Cerithium moniliferum* Kiener (Cerithiidae) at Heron Island, Great Barrier Reef, 353-359
- Guam
- food habits, functional digestive morphology, and assimilation efficiency of the rabbitfish *Siganus spinus* (Pisces, Siganidae) on, 269-277
  - Gymnothorax pikei* Bliss recorded from Papua New Guinea, 165-170
- Hawaiian anchovy, fecundity and length at first spawning of, in Kaneohe Bay, Oahu, 171-180
- Hawaiian ghost crab, on the distribution of the, 257-258
- Hawaiian islands
- comparison of effects of elevated temperature versus temperature fluctuations on reef corals at Kahe Point, Oahu, 15-18
  - fecundity and length at first spawning of the Hawaiian anchovy, or nehu (*Stolephorus purpureus* Fowler) in Kaneohe Bay, Oahu, 171-180
  - first description of the adult male of *Micrognathus brachyrhinus* (Pisces, Syngnathidae), 267-268
  - function of the dimorphic eyes in the midwater squid *Histioteuthis dofleini*, 211-218
  - Hawaiian polyclad flatworms: prosthiostomids, 317-339
  - Leachia pacifica* (Cephalopoda, Teuthoidea): spawning habitat and function of the brachial photophores, 19-25
  - mortality and survival in the Laysan Albatross, *Diomedea immutabilis*, 279-300
  - a new Hawaiian hermit crab of the genus *Trizopagurus* (Crustacea, Decapoda, Diogenidae), with notes on its behavior, 259-266
  - on the distribution of the Hawaiian ghost crab, *Ocypode laevis* Dana, 257-258
  - on the use of benthic foraminifera as sediment tracers in a Hawaiian bay, 99-115
  - properties and genesis of four soils derived from basaltic ash, Mauna Loa, Hawaii, 301-308
  - skin structure of the Hawaiian monk seal (*Monachus schauinslandi*), 153-157
  - transitory eye shapes and the vertical distribution of two midwater squids, 243-255
  - the Warbling Silverbill, a new nesting bird in Hawaii, 51-54
- Hawaiian monk seal, skin structure of the, 153-157
- Histioteuthis dofleini*, function of the dimorphic eyes in, 211-218
- Key
- to the genera of Boraginaceae, 80
  - to the section *Digitati*, 55
  - to the section *Galeatistigma*, 55
  - to the section *Radiatistigma*, 56
  - to the sections of the genus *Pandanus*, 55
  - to the species of *Pandanus* found on Rotuma Island, 371
  - to the species of *Trigonotis*, 82-83
- Laysan Albatross, mortality and survival in the, 279-300
- Leachia pacifica*, spawning habitat and function of the brachial photophores of, 19-25
- Legumes, esterase isozyme patterns of some tropical and subtropical herbaceous, 365-369

- Lonchura malabarica cantans*, a new nesting bird in Hawaii, 51-54
- Mammalia  
 annual cycle of fur seals, *Arctocephalus forsteri* (Lesson), on the Open Bay Islands, New Zealand, 139-152  
 the peka, or fruit bat (*Pteropus tonganus tonganus*) (Chiroptera), of Niue Island, South Pacific, 131-138  
 skin structure of the Hawaiian monk seal (*Monachus schauinslandi*), 153-157
- Marine toad, distribution and ecology of, in Papua New Guinea, 31-50
- Micrognathus brachyrhinus*, first description of the adult male of, 267-268
- Monachus schauinslandi*, skin structure of, 153-157
- Nazca Plate, surface sediments of, 117-130
- Nehu, fecundity and length at first spawning of, in Kaneohe Bay, Oahu, 171-180
- Nereis vexillosa*, aspects in life history and of territorial behavior in young individuals of, 341-348
- New combination  
*Trigonotis baackii* F. Mueller var. *archboldii* (Angiospermae), 79-98
- New cultivar  
*Pandanus Hata* St. John cv. 'Saanga' (Angiospermae), 371-406  
*Pandanus tectorius* Warb. var. *novi-caledonicus* Martelli cv. 'Farkoi' (Angiospermae), 371-406
- New Guinea  
 Sertulum Papuanum, 20, the Boraginaceae of the alpine regions of New Guinea, 79-98
- New section  
*Digitarii* (Angiospermae), 55-77  
*Radiatistigma* (Angiospermae), 55-77
- New species  
*Callianassa arenosa* (Crustacea), 197-209  
*Callianassa limosa* (Crustacea), 197-209  
*Pandanus basalticola* (Angiospermae), 371-406  
*Pandanus brachus* (Angiospermae), 371-406  
*Pandanus Gillespiei* (Angiospermae), 55-77  
*Pandanus Hata* (Angiospermae), 371-406  
*Pandanus rotumaensis* (Angiospermae), 371-406  
*Pandanus rubricinctus* (Angiospermae), 371-406  
*Pandanus taveuniensis* (Angiospermae), 55-77  
*Pandanus Varawa* (Angiospermae), 55-77  
*Prosthiostomum (Lurymare) katoii* (Turbellaria), 317-339  
*Prosthiostomum (Prosthiostomum) montiporae* (Turbellaria), 317-339  
*Trigonotis culminicola* (Angiospermae), 79-98  
*Trigonotis vestita* (Angiospermae), 79-98
- New status  
*Trigonotis baackii* F. Mueller var. *archboldii* (Angiospermae), 79-98
- New Zealand  
 annual cycle of fur seals, *Arctocephalus forsteri* (Lesson), on the Open Bay Islands, 139-152
- Niue Island  
 the peka, or fruit bat (*Pteropus tonganus tonganus*) (Mammalia, Chiroptera), cf. 131-138
- Ocypode laevis* Dana, on the distribution of, 257-258
- Pandanus basalticola* sp. nov., 371-306  
*Pandanus brachus* sp. nov., 371-406  
*Pandanus Gillespiei* sp. nov., 55-77  
*Pandanus Hata* sp. nov., 371-406  
*Pandanus Hata* St. John cv. 'Saanga', new cultivar, 371-406  
*Pandanus rotumaensis* sp. nov., 371-406  
*Pandanus rubricinctus* sp. nov., 371-406  
*Pandanus taveuniensis* sp. nov., 55-77  
*Pandanus tectorius* Warb. var. *novi-caledonicus* Martelli cv. 'Farkoi', new cultivar, 371-406  
*Pandanus Varawa* sp. nov., 55-77
- Papua New Guinea. See also New Guinea  
 distribution and ecology of the marine toad, *Bufo marinus*, in, 31-50  
 paralytic shellfish poisoning in, 1972, 1-5  
 paralytic shellfish poison in various bivalves, Port Moresby, 1973, 349-352  
 the rare moray eel *Gymnothorax pikei* Bliss recorded from, 165-170  
 red tide in the Morobe District of, 7-13
- Peka (*Pteropus tonganus tonganus*) (Mammalia, Chiroptera), of Niue Island, South Pacific, 131-138
- Petrolisthes zaccae* Haig, 1968 (Crustacea, Decapoda, Porcellanidae), development of larvae of, in the laboratory, 181-196
- Phaenomonas*, the eel genus of, 361-363
- Pisces  
 the eel genus *Phaenomonas* (Ophichthidae), 361-363  
 fecundity and length at first spawning of the Hawaiian anchovy, or nehu (*Stolepborus purpureus* Fowler) in Kaneohe Bay, Oahu, 171-181  
 first description of the adult male of *Micrognathus brachyrhinus* (Synbranchidae), 267-268  
 food habits, functional digestive morphology and, assimilation efficiency of the rabbitfish *Siganus spinus* (Siganidae) on Guam, 269-277  
 observations on living juvenile specimens of the slender mola, *Ranzania laevis* (Molidae), 27-29  
 osteology and relationships of the eel *Diastobranchius capensis* (Synbranchidae), 159-163  
 the rare moray eel *Gymnothorax pikei* Bliss recorded from Papua New Guinea, 165-170
- Platynereis bicanaliculata*, aspects of life history and of territorial behavior in young individuals of, 341-348
- Polychaeta  
 aspects of life history and of territorial behavior in young individuals of *Platynereis bicanaliculata* and *Nereis vexillosa*, 341-348  
*Prosthiostomum (Lurymare) katoii*, new species, 317-339  
*Prosthiostomum (Prosthiostomum) montiporae*, new species, 317-339
- Pteropus tonganus tonganus* of Niue Island, South Pacific, 131-138
- Radiatistigma* sect. nov., 55-77
- Radiolaria  
 trace element geochemistry of biogenic sediments from the western equatorial Pacific, 219-225
- Ranzania laevis*, observations on living juvenile specimens of, 27-29

- Revision of the genus *Pandanus* Stickman
38. *Pandanus* in Fiji, first group (except section *Pandanus*), 55-77
  39. *Pandanus* of Rotuma Island, Pacific Ocean, 371-406
- Sandalops melancholicus*, transitory eye shapes and the vertical distribution of, 243-255
- Sarcodina
- on the use of benthic foraminifera as sediment tracers in a Hawaiian bay, 99-115
  - trace element geochemistry of biogenic sediments from the western equatorial Pacific, 219-225
- Sertulum Papuanum
20. Boraginaceae of the alpine regions of New Guinea, 79-98
- Siganus spinus*, food habits, functional digestive morphology, and assimilation efficiency of, on Guam, 269-277
- Slender mola, observations on living juvenile specimens of, 27-29
- Stolephorus purpureus* Fowler, fecundity and length at first spawning of, in Kaneohe Bay, Oahu, 171-180
- Taonius pavo*, transitory eye shapes and the vertical distribution of, 243-255
- Terebra gouldi* Deshayes, 1859, biology of, and a discussion of life history similarities among other terebrids of similar proboscis type, 227-241
- Thermal effects, on reef corals, 15-18
- Trigonotis culminicola* van Royen, n. sp., 79-98
- Trigonotis haackii* F. Mueller var. *archboldii* (Johnston) van Royen, nov. comb. et nov. stat., 79-98
- Trigonotis vestita* van Royen, n. sp., 79-98
- Trizopagurus*, a new Hawaiian hermit crab of the genus, with notes on its behavior, 259-266
- Turbellaria
- Hawaiian polyclad flatworms: prosthiostomids, 317-339
- Warbling Silverbill, a new nesting bird in Hawaii, 51-54
- Western Samoa
- Lapita pottery and a lower sea level in, 309-315