Index to Volume XXIV

Author Index

ADAMS, FRANK W.:
see Robertson, Scheltema, and Adams

AGUILAR-SANTOS, GERTRUDES:
see Doty and Aguilar-Santos

ALLEN, GERALD R.:
Two new species of frogfishes (Antennariidae) from Easter Island, 517–522

ALLEN, J. A., and J. F. TURNER:
The morphology of *Fimbria fimbriata* (Linne) (Bivalvia: Lucinidae), 147–154

ATKINSON, I. A. E.:
Successional trends in the coastal and lowland forest of Mauna Loa and Kilauea volcanoes, Hawaii, 387–400

BALDWIN, WAYNE J., and NORMAN H. C. CHANG:
A new engraulid fish, *Anchoa walkeri,* from the eastern Pacific Ocean, with a note on the validity of *Anchoa schultzi* Hildebrand, 139–143

BAUER, GLENN R.:
The geology of Tofua Island, Tonga, 333–350

BERGER, ANDREW J.:
The present status of the birds of Hawaii, 29–42

BYRNE, JOHN E.:
Mucous envelope formation in two species of Hawaiian parrotfishes (genus *Scarus*), 490–493

CAMPBELL, J. F.:
see Furumoto, Campbell, and Hussong
see also Furumoto, Hussong, Campbell, Sutton, Malahoff, Rose, and Woollard

CHANG, NORMAN H. C.:
see Baldwin and Chang

COHEN, DANIEL M.:
A new argentinid fish from Hawaii, 377–378

COLEMAN, P. J.:
Geology of the Solomon and New Hebrides islands, as part of the Melanesian re-entrant, southwest Pacific, 289–314

DANFORTH, CHARLES G.:
Epicarids (Isopoda) of Eniwetok Atoll, 462–471

DIX, TREVOR G.:
Covering response of the echinoid *Evechinus chloroticus* (Val.), 187–194

DODGE, C. W.:
see Fineran and Dodge

DOTY, MAXWELL S., and GERTRUDES AGUILAR-SANTOS:
Transfer of toxic algal substances in marine food chains, 351–355

FELL, PAUL E.:
The natural history of *Haliclona ecbasis* de Laubenfels, a siliceous sponge of California, 381–386

FINERAN, B. A., and C. W. DODGE:
Lichens from the Southern Alps, New Zealand: records from Phipps Peak, The Two Thumbs, and the Tasman Valley, 401–408

FLEENOR, BILL:
see Phillips and Fleenor

FURUMOTO, A. S., J. F. CAMPBELL, and D. M. HUSSONG:
Seismic studies of subsurface structure in the Ewa Coastal Plain, Oahu, Hawaii, 529–542

FURUMOTO, A. S., D. M. HUSSONG, J. F. CAMPBELL, G. H. SUTTON, A. MALAHOFF, J. C. ROSE, and G. P. WOOLLARD:
Crustal and upper mantle structure of the Solomon Islands as revealed by seismic refraction survey of November–December 1966, 315–332

GOOS, R. D.:
Phalloid fungi in Hawaii, 282–287

GRUCHY, C. G.:
A second *Prionotus birostratus* Richardson, with notes on the distribution of *Prionotus* in the southeastern Pacific Ocean (Pisces, Triglidae), 523–527

HAMMERICH, BRIAN:
see Martin and Hammerich

HAZLETT, BRIAN A.:
Interspecific shell fighting in three sympatric species of hermit crabs in Hawaii, 472–482

HINKLE, E. H.:
see Lanner and Hinkle

HUSSAIN, M. S., and L. D. SWINDALE:
A morphological and mineralogical study of the gray hydromorphic soils of the Hawaiian Islands, 543–553

HUSSONG, D. M.:
see Furomoto, Campbell, and Hussong
see also Furumoto, Hussong, Campbell, Sutton, Malahoff, Rose, and Woollard

KHAN, MOHAMMAD ASADULLAH:
see Woollard and Khan

KOHN, ALAN J.:
Food habits of the gastropod *Mitra litterata* Lamarck: relation to trophic structure of the intertidal marine bench community in Hawaii, 483–486

LANNER, RONALD M., and E. H. HINKLE:
Some shoot and cone characteristics of Taiwan Red Pine, 414–416

LAWRENCE, J. M.:
The effect of starvation on the lipid and carbohydrate levels of the gut of the tropical sea urchin *Echinometra mathaei* (de Blainville), 487–489

LEE, Y. K.:
see Rao and Lee

LEWIN, RALPH A.:
Toxin secretion and tail autotomy by irritated *Oxynoe panamensis* (Opisthobranchiata; Sacoglossa), 356–358

LIEBERMAN, DIANA D., and MILTON E. LIEBERMAN:
Record of the brahminy blind snake, *Typhlops braminus,* from the island of Hawaii, 528

LIEBERMAN, MILTON E.:
see Lieberman and Lieberman

LING, HSIN-YI:
see Resig, Ling, and Stadum

MCCLOSKEY, L. R.:
A new species of *Dulichia* (Amphipoda, Podoceridae) commensal with a sea urchin, 90–98

MCCOSKER, JOHN E.:
A review of the eel genera *Leptenchelys* and *Muraenichthys,* with the description of a new genus, *Schismorhynchus,* and a new species, *Muraenichthys chilensis,* 506–516

MCCOSKER, JOHN E.:
see Rosenblatt and McCosker

MALAHOFF, A.:
see Furumoto, Hussong, Campbell, Sutton, Malahoff, Rose, and Woollard

MARCUS, ERNST, and EVELINE MARCUS:
Opisthobranch mollusks from the southern tropical Pacific, 155–179

MARCUS, EVELINE:
see Marcus and Marcus

MARTIN, W. E., and BRIAN HAMMERICH:
Paradiscogaster eniwetokensis n. sp. (Fellodistomidae: Trematoda) from Eniwetok, Marshall Islands, 379–380

MATHEWSON, CHRISTOPHER C.:
Submarine canyons and the shelf along the north coast of Molokai Island, Hawaiian Ridge, 235–244

MOORE, LUCY B.:
Some implications of precocious flowering of *Collospermum,* 409–413

NAKAMURA, EUGENE L., and ROBERT C. WILSON:
The biology of the Marquesan sardine, *Sardinella marquesensis,* 359–376

NOZAWA, YURIKO:
Systematic anatomy of the red algal genus *Rhodopeltis,* 99–133

PHILLIPS, C., and BILL FLEENOR:
Investigation of the benthic marine flora of Hood Canal, Washington, 275–281

POWERS, DENNIS:
A numerical taxonomic study of Hawaiian reef corals, 180–186

RAO, A. N., and Y. K. LEE:
Studies on Singapore pollen, 255–268

RESIG, JOHANNA M., HSIN-YI LING, and CAROL J. STADUM:
Micropaleontology of a Miocene core from the western tropical pacific, 421–432

ROBERTSON, ROBERT:
Review of the predators and parasites of stony corals, with special reference to symbiotic prosobranch gastropods, 43–54
Systematics of Indo-Pacific *Philippia* (Psilaxis), architectonicid gastropods with eggs and young in the umbilicus, 66–83

ROBERTSON, ROBERT, RUDOLF S. SCHELTEMA, and FRANK W. ADAMS:
The feeding, larval dispersal, and metamorphosis of *Philippia* (Gastropoda: Architectonicidae), 55–65

ROSE, J. C.:
see Furumoto, Hussong, Campbell, Sutton, Malahoff, Rose, and Woollard

ROSENBLATT, RICHARD H., and JOHN E. MCCOSKER:
A key to the genera of the ophichthid eels, with descriptions of two new genera and three new species from the eastern Pacific, 494

ST. JOHN, HAROLD:
Cyrtandra rotumaensis (Gesneriaceae) of Rotuma Island. Pacific Plant Studies 20, 457–461
The genus *Sicyos* (Cucurbitaceae) on the Hawaiian Leeward Islands. Hawaiian Plant Studies 35, 439–456
New species of *Peperomia* (Piperaceae) and *Dendrocnide* (Urticaceae) from Rotuma Island, Pacific Ocean. Pacific Plant Studies 19, 134–138
The "staminodia" of the genus *Schiedea* (Caryo-

phyllaceae) and three new Hawaiian species. Hawaiian Plant Studies 32, 245–254

SCHELTEMA, RUDOLF S.:
see Robertson, Scheltema, and Adams

SEKI, HUMITAKE:
Microbial biomass in the euphotic zone of the north Pacific subarctic water, 269–274

SKINNER, BRIAN J.:
A sulfur lava flow on Mauna Loa, 144–145

STADUM, CAROL J.:
see Resig, Ling, and Stadum

STONE, BENJAMIN C.:
Materials for a monograph of *Freycinetia* Gaud. (Pandanaceae) XIII. A new species from Ternate Island, Moluccas, 417–419

SUTTON, G. H.:
see Furumoto, Hussong, Campbell, Sutton, Malahoff, Rose, and Woollard

SWINDALE, L. D.:
see Hussain and Swindale

TOMICH, P. QUENTIN:
Movement patterns of field rodents in Hawaii, 195–234

TURNER, J. F.:
see Allen and Turner

WEAR, ROBERT G.:
Notes and bibliography on the larvae of xanthid crabs, 84–89

WILSON, ROBERT C.:
see Nakamura and Wilson

WOOLLARD, G. P.:
see Furumoto, Hussong, Campbell, Sutton, Malahoff, Rose, and Woollard
see also Woollard and Khan

WOOLLARD, GEORGE P., and MOHAMMAD ASADULLAH KHAN:
A review of satellite-derived figures of the geoid and their geophysical significance, 1–28

WYNNE, MICHAEL J.:
Marine algae of Amchitka Island (Aleutian Islands). II. Bonnemaisoniaceae, 433–438

Subject Index

algal substances, toxic, transfer in marine food chains, 351–355
Amchitka Island, marine algae (Bonnemaisoniaceae) of, 433–438
amphipods, *Dulichia rhabdoplastis* n. sp., 90–98
Anchoa schultzi Hildebrand, validity of, 139–143
Anchoa walkeri new species, 139–143
Antennarius moai sp. nov., 517–522
Antennarius randalli sp. nov., 517–522
architectonicid gastropods, with eggs and young in umbilicus, 66–83

biomass, microbial, in euphotic zone of north Pacific subarctic water, 269–274
birds, present status of, in Hawaii, 29–42
bivalves, *Fimbria fimbriata,* morphology of, 147–154
Bonnemaisoniaceae of Amchitka Island, 433–438
brahminy blind snake, record of, from island of Hawaii, 528

California, natural history of *Haliclona ecbasis* from, 381–386
Caulerpa, as agent of transfer of toxic algal substances in marine food chains, 351–355
Cladocarpa sect. nov., 439–456
Collospermum, some implications of precocious flowering in, 409–413
corals, Hawaiian reef, numerical taxonomic study of, 180–186
corals, stony, review of predators and parasites of, 43–54
crabs, xanthid, notes and bibliography of, 84–89
Cyrtandra rotumaensis sp. nov., 457–461

Dendrocnide pruritivus sp. nov. from Rotuma Island, 134–138
Drepanididae, 36–39
Dulichia rhabdoplastis n. sp., 90–98

Easter Island, two new species of frogfishes from, 517–522
Echinometra mathaei (de Blainville), effects of starvation of, 487–489
Eniwetok Atoll
epicarids (Isopoda) of, 462–471
Paradiscogaster eniwetokensis, new species, 379–380
Ethadophis byrnei n. sp., 494–505
Ethadophis merenda n. sp., 494–505
Ethadophis n. gen., 494–505
Evechinus chloroticus, covering response of, 187–194

Fimbria fimbriata, morphology of, 147–154
flora, benthic marine, of Hood Canal, Washington, 275–281
flowering, precocious, in *Collospermum,* 409–413
forests of Mauna Loa and Kilauea, successional trends in coastal and lowland, 387–400
Freycinetia, materials for a monograph of, 417–419
Freycinetia leptostachya, sp. nov., 417–419
fungi, phalloid, in Hawaii, 282–287

gastropods
architectonicid, with eggs and young in umbilicus, 66–83
irritated *Oxynoe panamensis,* toxin secretion and tail autotomy, 356–358
Mitra litterata Lamarck, food habits, 483–486
opisthobranchs from southern tropical Pacific, list of, 155–179
Philippia, feeding, larval dispersal, and metamorphosis, 55–65
Philippia, systematics of Indo-Pacific, 66–83
symbiotic prosobranch, as predators of stony corals, 43–54
geoid, geophysical significance of satellite-derived figures, 1–28
Glossanodon struhsakeri, new species, 377–378

Haliclona ecbasis, natural history of, 381–386
Hawaiian Islands
birds, present status, 29–42
fungi, phalloid, 282–287
hermit crabs, interspecific shell fighting, 472–482
Mitra litterata Lamarck, in intertidal marine bench community, 483–486
parrotfishes, mucous envelope formation, 490–493
reef corals, numerical taxonomic study, 180–186
rodents, movement patterns, 195–234
soils, gray hydromorphic, 543–553
Hawaiian Plant Studies
32. The "staminodia" of the genus *Schiedea* (Caryophyllaceae) and three new Hawaiian species, 245–268
35. The genus *Sicyos* (Cucurbitaceae) on the Hawaiian Leeward Islands, 439–456
Hawaiian ridge, submarine canyons and shelf along north coast of Molokai, 235–244
hermit crabs in Hawaii, interspecific shell fighting in, 472–482

Kilauea and Mauna Loa volcanoes, successional trends in coastal and lowland forests of, 387–400

lava flow, sulfur, on Mauna Loa, 144–145
Leptenchelys, review of eel genera of, 506–516
Leuropharus lasiops n. sp., 494–505
Leuropharus n. gen., 494–505

Marquesas Islands, biology of Marquesan sardine, *Sardinella marquesensis,* 359–376
Marshall Islands, Eniwetok, *Paradiscogaster eniwetokensis,* new species from, 379–380
Mauna Loa and Kilauea volcanoes, successional trends in coastal and lowland forests of, 387–400
Mauna Loa, sulfur lava flow on, 144–145
Melanesian re-entrant, geology of Solomon and New Hebrides islands as part of, 289–314
Miocene core from western tropical Pacific, micropaleontology of, 421–432
Mitra litterata Lamarck, food habits of, 483–486
Molokai, submarine canyons and shelf along north coast of, 235–244
Muraenichthys chilensis n. sp., 506–516
Muraenichthys, review of eel genera of, 506–516

New Hebrides and Solomon islands, as part of Melanesian re-entrant, 289–314
new genera
Ethadophis (Ophichthidae), 494–505
Leuropharus (Ophichthidae), 494–505
Pleurehdera (Pleurobranchidae), 155–179
Pleuroblepharis (Bonnemaisoniaceae), 433–438
Pupsikus (Doridídae), 155–179
Schismorhynchus (Ophichthidae), 506–516
new section
Cladocarpa, 439–456
new species
Anchoa walkeri, an engraulid fish, 139–143
Antennarius moai, an antennariid fish, 517–522
Antennarius randalli, an antennariid fish, 517–522
Cyrtandra rotumaensis (Gesneriaceae), 457–461
Dendrocnide pruritivus (Urticaceae), 134–138
Dulichia rhabdoplastis, an amphipod, 90–98
Ethadophis byrnei, an ophichthid eel, 494–505
Ethadophis merenda, an ophichthid eel, 494–405
Freycinetia leptostachya (Pandanaceae), 417–419
Glossanodon struhsakeri, an argentinid fish, 377–378
Leuropharus lasiops, an ophichthid eel, 494–505
Muraenichthys chilensis, an ophichthid eel, 506–516
Noumea norba, an opisthobranch, 155–179
Paradiscogaster eniwetokensis, a trematode, 379–380
Peperomia rotumaensis (Piperaceae), 134–138
Peronodoris rehderi, an opistobranch, 155–179
Phyllidia soria, an opisthobranch, 155–179
Phyllidia tula, an opisthobranch, 155–179
Pleurehdera haraldi, an opisthobranch, 155–179
Pleuroblepharis stichidophora (Bonnemaisoniaceae), 433–438
Pupsikus pinguis, an opisthobranch, 155–179
Schiedea adamantis (Caryophyllaceae), 245–254
Schiedea apokremnos (Caryophyllaceae), 245–254
Schiedea Mannii (Caryophyllaceae), 245–254
Sicyos atollensis (Cucurbitaceae), 439–456
Sicyos Caumii (Cucurbitaceae), 439–456
Sicyos Lamoureuxii (Cucurbitaceae), 436–456
Sicyos laysanensis (Cucurbitaceae), 439–456
Sicyos nihoaensis (Cucurbitaceae), 439–456
Sicyos semitonsus (Cucurbitaceae), 439–456
new subspecies
Tayuva ketos juva, an opisthobranch, 155–179
New Zealand, Southern Alps, lichens from, 401–408
north Pacific subarctic water, microbial biomass in euphotic zone of, 269–274
Noumea norba, n. sp., 155–179

Ophichthidae, key to the genera of, 494–505
opisthobranch mollusks from southern tropical Pacific, list of, 155–179
Oxynoe panamensis, irritated, toxin secretion and tail autotomy by, 356–358

Pacific Plant Studies
19. New species of *Peperomia* (Piperaceae) and *Dendrocnide* (Urticaceae) from Rotuma Island, Pacific Ocean, 134–138

20. *Cyrtandra rotumaensis* (Gesneriaceae) of Rotuma Island, 457–461
Paradiscogaster eniwetokensis, new species, 379–380
parrotfishes, mucous envelope formation in two species of, 490–493
Peperomia rotumaensis sp. nov. from Rotuma Island, 134–138
Peronodoris rehderi, n. sp., 155–179
Philippia, feeding, larval dispersal, and metamorphosis of, 55–65
Philippia, systematics of Indo-Pacific, 66–83
Phyllidia (*Phyllidiella*) *soria,* n. sp., 155–179
Phyllidia tula, n. sp., 155–179
Pine, Taiwan Red, some shoot and cone characteristics of, 414–416
Pinus taiwanensis, some shoot and cone characteristics of, 414–416
Pleurehdera haraldi, n. sp., 155–179
Pleurehdera, new genus, 155–179
Pleuroblepharis gen. nov., 433–438
Pleuroblepharis stichidophora sp. nov., 433–438
pollen, Singapore, studies on, 255–268
Prionotus birostratus Richardson, a second specimen, 523–527
Prionotus, distribution of, in southeastern Pacific Ocean, 523–527
Pupsikus, new genus, 155–179
Pupsikus pinguis, new species, 155–179

response, covering, of *Evechinus chloroticus,* 187–194
Rhodopeltis, systematic anatomy of, 99–133
rodents, movement patterns of, 195–234

Sardinella marquesensis, Marquesan sardine, biology of, 359–376
satellite-derived figures of geoid, 1–28
Scarus, mucous envelope formation in two species of, 490–493
Schiedea adamantis sp. nov., 245–254
Schiedea apokremnos sp. nov., 245–254
Schiedea Mannii sp. nov., 245–254
Schismorhynchus genus novum, 506–516
seismic refraction survey of crustal and upper mantle structure of Solomon Islands, 315–332
Sicyos atollensis sp. nov., 439–456
Sicyos Caumii sp. nov., 439–456
Sicyos Lamoureuxii sp. nov., 439–456
Sicyos laysanensis sp. nov., 439–456
Sicyos nihoaensis sp. nov., 439–456
Sicyos semitonsus sp. nov., 439–456
Singapore pollen, studies on, 255–268
soils, gray hydromorphic, of Hawaiian Islands, 543–553
Solomon Islands, crustal and upper mantle structure, as revealed by seismic refraction survey, 315–332
Solomon and New Hebrides islands as part of Melanesian re-entrant, geology of, 289–314
Southern Alps, New Zealand, lichens from, 401–408
Strongylocentrotus franciscanus (Agassiz) commensal with an amphipod, 90–98
systematic anatomy of red algal genus *Rhodopeltis,* 99–133

tail autotomy and toxin secretion by irritated *Oxynoe panamensis,* 356–358
Taiwan Red Pine, some shoot and cone characteristics of, 414–416
Tayuva ketos juva, new subspecies, 155–179
Thyphlops braminus, record of, from Hawaii, 528
Tofua Island, Tonga, geology of, 333–350
Tonga, geology of Tofua Island, 333–350

Washington, benthic marine flora of Hood Canal, 275–281

xanthid crabs, notes and bibliography of, 84–89